

March of Dimes Foundation Data Book for Policy Makers

State Data in the United States

2014

march of dimes

State Data 2014

Alabama

Live Births, 2012 (peristats)

Total Births	11,187
Non-Hispanic White	5,772
Non-Hispanic Black	361
Hispanic	722

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	5.5
Rank	16
Non-Hispanic White (per 1,000 live births)	3.5
Non-Hispanic Black (per 1,000 live births)	11.6
Hispanic (per 1,000 live births)	N/A

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	78.4%
Women who received late or no prenatal care	4.5%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	92.0%
4:3:1:3:3:1 Series	72.8%
Varicella	89.6%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	1,026
Proportion of Live Births	9.2%
Rank	3
Non-Hispanic White (2010-2012 average)	8.2%
Non-Hispanic Black (2010-2012 average)	14.1%
Hispanic (2010-2012 average)	10.1%

Late Preterm Births, 2012 (peristats)

Number	756
Proportion of Live Births	6.8%
Rank	5
Non-Hispanic White (2010-2012 average)	6.3%
Non-Hispanic Black (2010-2012 average)	9.0%
Hispanic (2010-2012 average)	6.8%

Very Preterm Births, 2012 (peristats)

Number	160
Proportion of Live Births	1.4%
Rank	7
Non-Hispanic White (2010-2012 average)	0.9%
Non-Hispanic Black (2010-2012 average)	3.4%
Hispanic (2010-2012 average)	1.5%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	5.7%
Rank	1
Non-Hispanic White (2010-2012 average)	4.9%
Non-Hispanic Black (2010-2012 average)	11.2%
Hispanic (2010-2012 average)	6.4%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	0.9%
Rank	2
Non-Hispanic White (2010-2012 average)	0.7%
Non-Hispanic Black (2010-2012 average)	2.8%
Hispanic (2010-2012 average)	1.2%

Alabama (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	33,045
Percent	23.0%
Rank	41

Children Under 19 without Health Insurance by State, 2013

Number	24,115
Percent	12.0%
Rank	48

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	205%
Infants Ages 0-1	182%
Children Ages 1-5	182%
Children Ages 6-18	182%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Denali Kidcare
Pregnant Women/Maternity Care	N/A
Children Under 19	208%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded @ marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	31
Children Under 19 (in thousands)	79
Total Enrollment (in thousands)	139
Women and Children as Percent of Total	81%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$376
Children Under 19 (in millions)	$202
Total Expenditures (in millions)	$1,348
Women and Children as Percent of Total	44%

CHIP Enrollment, 2013

Enrollment	10,199
Expenditures (in millions)	$25

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

52.6%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Alaska

Live Births, 2012

Total Births	11,187
Non-Hispanic White	5,772
Non-Hispanic Black	361
Hispanic	722

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	5.5
Rank	16
Non-Hispanic White (per 1,000 live births)	3.5
Non-Hispanic Black (per 1,000 live births)	11.6
Hispanic (per 1,000 live births)	N/A

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	78.4%
Women who received late or no prenatal care	4.5%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	92.0%
4:3:1:3:3:1 Series	72.8%
Varicella	89.6%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	1,026
Proportion of Live Births	9.2%
Rank	3
Non-Hispanic White (2010-2012 average)	8.2%
Non-Hispanic Black (2010-2012 average)	14.1%
Hispanic (2010-2012 average)	10.1%

Late Preterm Births, 2012

Number	756
Proportion of Live Births	6.8%
Rank	5
Non-Hispanic White (2010-2012 average)	6.3%
Non-Hispanic Black (2010-2012 average)	9.0%
Hispanic (2010-2012 average)	6.8%

Very Preterm Births, 2012

Number	160
Proportion of Live Births	1.4%
Rank	7
Non-Hispanic White (2010-2012 average)	0.9%
Non-Hispanic Black (2010-2012 average)	3.4%
Hispanic (2010-2012 average)	1.5%

Low Birthweight Births, 2012

Proportion of Live Births	5.7%
Rank	1
Non-Hispanic White (2010-2012 average)	4.9%
Non-Hispanic Black (2010-2012 average)	11.2%
Hispanic (2010-2012 average)	6.4%

Very Low Birthweight Births, 2012

Proportion of Live Births	0.9%
Rank	2
Non-Hispanic White (2010-2012 average)	0.7%
Non-Hispanic Black (2010-2012 average)	2.8%
Hispanic (2010-2012 average)	1.2%

Alaska (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	33,045
Percent	23.0%
Rank	41

Children Under 19 without Health Insurance by State, 2013

Number	24,115
Percent	12.0%
Rank	48

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	205%
Infants Ages 0-1	182%
Children Ages 1-5	182%
Children Ages 6-18	182%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Denali Kidcare
Pregnant Women/Maternity Care	N/A
Children Under 19	208%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	31
Children Under 19 (in thousands)	79
Total Enrollment (in thousands)	139
Women and Children as Percent of Total	81%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$376
Children Under 19 (in millions)	$202
Total Expenditures (in millions)	$1,348
Women and Children as Percent of Total	44%

CHIP Enrollment, 2013

Enrollment	10,199
Expenditures (in millions)	$25

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

52.6%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Arizona

Live Births, 2012 (peristats)

Total Births	86,441
Non-Hispanic White	38,836
Non-Hispanic Black	4,446
Hispanic	33,906

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	6.1
Rank	22
Non-Hispanic White (per 1,000 live births)	5.4
Non-Hispanic Black (per 1,000 live births)	13.5
Hispanic (per 1,000 live births)	5.6

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	28

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	82.3%
Women who received late or no prenatal care	4.6%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	91.2%
4:3:1:3:3:1 Series	70.3%
Varicella	89.6%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	10,035
Proportion of Live Births	11.6%
Rank	29
Non-Hispanic White (2010-2012 average)	10.9%
Non-Hispanic Black (2010-2012 average)	15.9%
Hispanic (2010-2012 average)	12.2%

Late Preterm Births, 2012 (peristats)

Number	7,162
Proportion of Live Births	8.3%
Rank	35
Non-Hispanic White (2010-2012 average)	8.3%
Non-Hispanic Black (2010-2012 average)	10.6%
Hispanic (2010-2012 average)	8.9%

Very Preterm Births, 2012 (peristats)

Number	1,527
Proportion of Live Births	1.8
Rank	26
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	3.1%
Hispanic (2010-2012 average)	1.7%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	6.9%
Rank	14
Non-Hispanic White (2010-2012 average)	6.6%
Non-Hispanic Black (2010-2012 average)	12.0%
Hispanic (2010-2012 average)	6.7%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.1%
Rank	15
Non-Hispanic White (2010-2012 average)	1.0%
Non-Hispanic Black (2010-2012 average)	2.4%
Hispanic (2010-2012 average)	1.1%

Arizona (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	290,780
Percent	22.6%
Rank	39

Children Under 19 without Health Insurance by State, 2013

Number	212,340
Percent	12.4%
Rank	49

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	161%
Infants Ages 0-1	152%
Children Ages 1-5	182%
Children Ages 6-18	182%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	KidsCare (closed)
Pregnant Women/Maternity Care	N/A
Children Under 19	N/A

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	461
Children Under 19 (in thousands)	568
Total Enrollment (in thousands)	1,264
Women and Children as Percent of Total	82%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$2,830
Children Under 19 (in millions)	$1,741
Total Expenditures (in millions)	$7,904
Women and Children as Percent of Total	52%

CHIP Enrollment, 2013

Enrollment	46,761
Expenditures (in millions)	$256

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	68.46%
CHIP	77.92%

Percent of Births Funded by Medicaid, 2010

53.3%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Arkansas

Live Births, 2012

Total Births	38,347
Non-Hispanic White	25,925
Non-Hispanic Black	7,300
Hispanic	3,854

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	7.4
Rank	40
Non-Hispanic White (per 1,000 live births)	6.5
Non-Hispanic Black (per 1,000 live births)	11.5
Hispanic (per 1,000 live births)	5.6

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	29

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	80.7%
Women who received late or no prenatal care	3.7%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	89.4%
4:3:1:3:3:1 Series	67.9%
Varicella	87.2%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	5,082
Proportion of Live Births	13.3%
Rank	46
Non-Hispanic White (2010-2012 average)	11.9%
Non-Hispanic Black (2010-2012 average)	17.9%
Hispanic (2010-2012 average)	12.1%

Late Preterm Births, 2012

Number	3,749
Proportion of Live Births	9.8%
Rank	48
Non-Hispanic White (2010-2012 average)	9.0%
Non-Hispanic Black (2010-2012 average)	11.9%
Hispanic (2010-2012 average)	8.9%

Very Preterm Births, 2012

Number	743
Proportion of Live Births	1.8%
Rank	26
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	3.1%
Hispanic (2010-2012 average)	1.8%

Low Birthweight Births, 2012

Proportion of Live Births	8.7%
Rank	39
Non-Hispanic White (2010-2012 average)	7.6%
Non-Hispanic Black (2010-2012 average)	14.5%
Hispanic (2010-2012 average)	6.7%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.7%
Rank	47
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	3.2%
Hispanic (2010-2012 average)	1.2%

Arkansas (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	290,780
Percent	22.6%
Rank	25

Children Under 19 without Health Insurance by State, 2013

Number	46,075
Percent	6.1%
Rank	26

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	214%
Infants Ages 0-1	147%
Children Ages 1-5	146%
Children Ages 6-18	109%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	ARKids First
Pregnant Women/Maternity Care	214%
Children Under 19	216%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	114
Children Under 19 (in thousands)	382
Total Enrollment (in thousands)	718
Women and Children as Percent of Total	69%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$187
Children Under 19 (in millions)	$924
Total Expenditures (in millions)	$3,779
Women and Children as Percent of Total	34%

CHIP Enrollment, 2013

Enrollment	93,173
Expenditures (in millions)	$98

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	70.88%
CHIP	79.62%

Percent of Births Funded by Medicaid, 2010

67.1%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

California

Live Births, 2012 (peristats)

Total Births	503,755
Non-Hispanic White	142,697
Non-Hispanic Black	29,438
Hispanic	244,930

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	4.9
Rank	4
Non-Hispanic White (per 1,000 live births)	4.1
Non-Hispanic Black (per 1,000 live births)	9.8
Hispanic (per 1,000 live births)	4.8

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2012 (peristats)

Women who received early prenatal care	82.5%
Women who received late or no prenatal care	3.5%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	90.5%
4:3:1:3:3:1 Series	81.9%
Varicella	90.4%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	48,136
Proportion of Live Births	9.6%
Rank	6
Non-Hispanic White (2010-2012 average)	8.7%
Non-Hispanic Black (2010-2012 average)	13.8%%
Hispanic (2010-2012 average)	9.9%

Late Preterm Births, 2012 (peristats)

Number	34,938
Proportion of Live Births	6.9%
Rank	7
Non-Hispanic White (2010-2012 average)	6.4%
Non-Hispanic Black (2010-2012 average)	9.0%
Hispanic (2010-2012 average)	7.2%

Very Preterm Births, 2012 (peristats)

Number	7,231
Proportion of Live Births	1.4%
Rank	6
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	2.9%
Hispanic (2010-2012 average)	1.5%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	6.7%
Rank	12
Non-Hispanic White (2010-2012 average)	6.0%
Non-Hispanic Black (2010-2012 average)	11.7%
Hispanic (2010-2012 average)	6.2%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.1%
Rank	14
Non-Hispanic White (2010-2012 average)	1.0%
Non-Hispanic Black (2010-2012 average)	2.5%
Hispanic (2010-2012 average)	1.1%

California (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	1,777,040
Percent	22.4%
Rank	36

Children Under 19 without Health Insurance by State, 2013

Number	764,145
Percent	7.9%
Rank	36

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	213%
Infants Ages 0-1	213%
Children Ages 1-5	147%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Healthy Families
Pregnant Women/Maternity Care	322%
Children Under 19	266%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	Yes
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	4,905
Children Under 19 (in thousands)	4,659
Total Enrollment (in thousands)	718
Women and Children as Percent of Total	82%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$7,770
Children Under 19 (in millions)	$10,775
Total Expenditures (in millions)	$50,165
Women and Children as Percent of Total	36%

CHIP Enrollment, 2013

Enrollment	1,324,146
Expenditures (in millions)	$1,767

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

47.6%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Colorado

Live Births, 2012 (peristats)

Total Births	65,187
Non-Hispanic White	39,997
Non-Hispanic Black	3,122
Hispanic	17,791

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	6.1
Rank	21
Non-Hispanic White (per 1,000 live births)	5.3
Non-Hispanic Black (per 1,000 live births)	12.7
Hispanic (per 1,000 live births)	6.6

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2012 (peristats)

Women who received early prenatal care	73.2%
Women who received late or no prenatal care	6.9%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	90.3%
4:3:1:3:3:1 Series	72.1%
Varicella	90.4%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	6,770
Proportion of Live Births	10.4%
Rank	14
Non-Hispanic White (2010-2012 average)	9.9%
Non-Hispanic Black (2010-2012 average)	14.0%
Hispanic (2010-2012 average)	11.0%

Late Preterm Births, 2012 (peristats)

Number	4,880
Proportion of Live Births	7.5%
Rank	16
Non-Hispanic White (2010-2012 average)	7.2%
Non-Hispanic Black (2010-2012 average)	9.4%
Hispanic (2010-2012 average)	7.7%

Very Preterm Births, 2012 (peristats)

Number	1,033
Proportion of Live Births	1.6%
Rank	14
Non-Hispanic White (2010-2012 average)	1.5%
Non-Hispanic Black (2010-2012 average)	2.8%
Hispanic (2010-2012 average)	1.8%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	8.8%
Rank	43
Non-Hispanic White (2010-2012 average)	8.4%
Non-Hispanic Black (2010-2012 average)	13.3%
Hispanic (2010-2012 average)	8.4%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.2%
Rank	21
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	2.1%
Hispanic (2010-2012 average)	1.2%

Colorado (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	195,535
Percent	18.5%
Rank	28

Children Under 19 without Health Insurance by State, 2013

Number	116,120
Percent	8.8%
Rank	40

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	200%
Infants Ages 0-1	147%
Children Ages 1-5	147%
Children Ages 6-18	147%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Child Health Plan Plus (CHP+)
Pregnant Women/Maternity Care	265%
Children Under 19	265%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	Yes
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	161
Children Under 19 (in thousands)	438
Total Enrollment (in thousands)	745
Women and Children as Percent of Total	81%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$570
Children Under 19 (in millions)	$984
Total Expenditures (in millions)	$4,724
Women and Children as Percent of Total	36%

CHIP Enrollment, 2013

Enrollment	88,513
Expenditures (in millions)	$157

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	51.01%
CHIP	65.71%

Percent of Births Funded by Medicaid, 2010

36.8%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Connecticut

Live Births, 2012 (peristats)

Total Births	36,539
Non-Hispanic White	21,261
Non-Hispanic Black	4,716
Hispanic	7,946

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	5.6
Rank	18
Non-Hispanic White (per 1,000 live births)	4.0
Non-Hispanic Black (per 1,000 live births)	11.8
Hispanic (per 1,000 live births)	6.7

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	87.5%
Women who received late or no prenatal care	1.6%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	97.6%
4:3:1:3:3:1 Series	83.0%
Varicella	90.8%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	3,550
Proportion of Live Births	9.7%
Rank	7
Non-Hispanic White (2010-2012 average)	9.0%
Non-Hispanic Black (2010-2012 average)	13.7%
Hispanic (2010-2012 average)	11.0%

Late Preterm Births, 2012 (peristats)

Number	2,507
Proportion of Live Births	6.9%
Rank	6
Non-Hispanic White (2010-2012 average)	6.4%
Non-Hispanic Black (2010-2012 average)	8.5%
Hispanic (2010-2012 average)	7.7%

Very Preterm Births, 2012 (peristats)

Number	635
Proportion of Live Births	1.7%
Rank	22
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	3.4%
Hispanic (2010-2012 average)	1.9%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	7.9%
Rank	23
Non-Hispanic White (2010-2012 average)	6.6%
Non-Hispanic Black (2010-2012 average)	12.2%
Hispanic (2010-2012 average)	8.4%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.5%
Rank	34
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	3.1%
Hispanic (2010-2012 average)	1.6%

Connecticut (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	78,310
Percent	11.5%
Rank	8

Children Under 19 without Health Insurance by State, 2013

Number	37,600
Percent	4.5%
Rank	10

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	263%
Infants Ages 0-1	201%
Children Ages 1-5	201%
Children Ages 6-18	201%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	HUSKY (Part B)
Pregnant Women/Maternity Care	N/A
Children Under 19	323%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	Yes
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	277
Children Under 19 (in thousands)	318
Total Enrollment (in thousands)	786
Women and Children as Percent of Total	75%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$1,260
Children Under 19 (in millions)	$1,006
Total Expenditures (in millions)	$5,868
Women and Children as Percent of Total	38%

CHIP Enrollment, 2013

Enrollment	12,874
Expenditures (in millions)	$39

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

31.4%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Delaware

Live Births, 2012 (peristats)

Total Births	11,023
Non-Hispanic White	6,143
Non-Hispanic Black	2,913
Hispanic	1,354

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	7.9
Rank	46
Non-Hispanic White (per 1,000 live births)	5.9
Non-Hispanic Black (per 1,000 live births)	14.5
Hispanic (per 1,000 live births)	5.1

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	31

Health Promotion

Prenatal Care, 2012 (peristats)

Women who received early prenatal care	74.7%
Women who received late or no prenatal care	7.6%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	97.4%
4:3:1:3:3:1 Series	79.3%
Varicella	92.3%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	1,355
Proportion of Live Births	12.3%
Rank	37
Non-Hispanic White (2010-2012 average)	10.4%
Non-Hispanic Black (2010-2012 average)	15.9%
Hispanic (2010-2012 average)	12.1%

Late Preterm Births, 2012 (peristats)

Number	888
Proportion of Live Births	8.1%
Rank	31
Non-Hispanic White (2010-2012 average)	7.2%
Non-Hispanic Black (2010-2012 average)	9.5%
Hispanic (2010-2012 average)	8.3%

Very Preterm Births, 2012 (peristats)

Number	270
Proportion of Live Births	2.5%
Rank	48
Non-Hispanic White (2010-2012 average)	1.7%
Non-Hispanic Black (2010-2012 average)	4.2%
Hispanic (2010-2012 average)	1.9%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	8.3%
Rank	33
Non-Hispanic White (2010-2012 average)	7.0%
Non-Hispanic Black (2010-2012 average)	12.7%
Hispanic (2010-2012 average)	6.7%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.6%
Rank	40
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	3.1%
Hispanic (2010-2012 average)	1.3%

Delaware (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	20,310
Percent	11.4%
Rank	6

Children Under 19 without Health Insurance by State, 2013

Number	10,250
Percent	4.7%
Rank	12

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	217%
Infants Ages 0-1	217%
Children Ages 1-5	147%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Healthy Children
Pregnant Women/Maternity Care	N/A
Children Under 19	217%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	104
Children Under 19 (in thousands)	97
Total Enrollment (in thousands)	243
Women and Children as Percent of Total	83%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$503
Children Under 19 (in millions)	$282
Total Expenditures (in millions)	$1,443
Women and Children as Percent of Total	55%

CHIP Enrollment, 2013

Enrollment	6,285
Expenditures (in millions)	$18

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	58.63%
CHIP	67.54%

Percent of Births Funded by Medicaid, 2010

48.6%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

District of Columbia

Live Births, 2012

Total Births	9,399
Non-Hispanic White	2,806
Non-Hispanic Black	4,783
Hispanic	1,372

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	9.7
Rank	50
Non-Hispanic White (per 1,000 live births)	4.3
Non-Hispanic Black (per 1,000 live births)	13.9
Hispanic (per 1,000 live births)	5.0

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	28

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	64.4%
Women who received late or no prenatal care	10.3%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	96.1%
4:3:1:3:3:1 Series	81.5%
Varicella	95.0%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	1,203
Proportion of Live Births	12.8%
Rank	43
Non-Hispanic White (2010-2012 average)	8.4%
Non-Hispanic Black (2010-2012 average)	16.8%
Hispanic (2010-2012 average)	12.0%

Late Preterm Births, 2012

Number	761
Proportion of Live Births	8.1%
Rank	30
Non-Hispanic White (2010-2012 average)	6.0%
Non-Hispanic Black (2010-2012 average)	10.2%
Hispanic (2010-2012 average)	8.1%

Very Preterm Births, 2012

Number	231
Proportion of Live Births	2.5%
Rank	47
Non-Hispanic White (2010-2012 average)	1.3%
Non-Hispanic Black (2010-2012 average)	4.0%
Hispanic (2010-2012 average)	1.7%

Low Birthweight Births, 2012

Proportion of Live Births	9.6%
Rank	48
Non-Hispanic White (2010-2012 average)	6.3%
Non-Hispanic Black (2010-2012 average)	12.9%
Hispanic (2010-2012 average)	7.7%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.7%
Rank	46
Non-Hispanic White (2010-2012 average)	1.0%
Non-Hispanic Black (2010-2012 average)	2.9%
Hispanic (2010-2012 average)	1.6%

District of Columbia (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	9,790
Percent	5.6%
Rank	2

Children Under 19 without Health Insurance by State, 2013

Number	3,535
Percent	2.9%
Rank	2

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	324%
Infants Ages 0-1	324%
Children Ages 1-5	324%
Children Ages 6-18	324%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	DC Healthy Families
Pregnant Women/Maternity Care	324%
Children Under 19	324%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	92
Children Under 19 (in thousands)	84
Total Enrollment (in thousands)	234
Women and Children as Percent of Total	76%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$417
Children Under 19 (in millions)	$238
Total Expenditures (in millions)	$2073
Women and Children as Percent of Total	31%

CHIP Enrollment, 2013

Enrollment	6,843
Expenditures (in millions)	$14

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	70.00%
CHIP	79.00%

Percent of Births Funded by Medicaid, 2010

67.90%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Florida

Live Births, 2012 (peristats)

Total Births	213,148
Non-Hispanic White	97,042
Non-Hispanic Black	49,374
Hispanic	57,882

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	6.9
Rank	32
Non-Hispanic White (per 1,000 live births)	5.4
Non-Hispanic Black (per 1,000 live births)	12.2
Hispanic (per 1,000 live births)	5.0

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	31

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	73.1%
Women who received late or no prenatal care	6.9%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	91.2%
4:3:1:3:3:1 Series	74.7%
Varicella	92.8%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	29,219
Proportion of Live Births	13.7%
Rank	48
Non-Hispanic White (2010-2012 average)	11.1%
Non-Hispanic Black (2010-2012 average)	17.7%
Hispanic (2010-2012 average)	13.4%

Late Preterm Births, 2012 (peristats)

Number	20,732
Proportion of Live Births	9.7%
Rank	47
Non-Hispanic White (2010-2012 average)	8.1%
Non-Hispanic Black (2010-2012 average)	11.6%
Hispanic (2010-2012 average)	9.7%

Very Preterm Births, 2012 (peristats)

Number	4,645
Proportion of Live Births	2.2%
Rank	41
Non-Hispanic White (2010-2012 average)	1.6%
Non-Hispanic Black (2010-2012 average)	3.7%
Hispanic (2010-2012 average)	2.0%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	8.6%
Rank	37
Non-Hispanic White (2010-2012 average)	7.2%
Non-Hispanic Black (2010-2012 average)	13.2%
Hispanic (2010-2012 average)	7.2%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.6%
Rank	39
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	2.9%
Hispanic (2010-2012 average)	1.3%

Florida (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	999,870
Percent	27.7%
Rank	49

Children Under 19 without Health Insurance by State, 2013

Number	501,320
Percent	11.7%
Rank	47

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	225%
Infants Ages 0-1	210%
Children Ages 1-5	145%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Florida KidCare
Pregnant Women/Maternity Care	N/A
Children Under 19	215%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	762
Children Under 19 (in thousands)	1,897
Total Enrollment (in thousands)	3,703
Women and Children as Percent of Total	72%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$2,338
Children Under 19 (in millions)	$3,467
Total Expenditures (in millions)	$17,257
Women and Children as Percent of Total	34%

CHIP Enrollment, 2013

Enrollment	246,273
Expenditures (in millions)	$416

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	59.72%
CHIP	71.80%

Percent of Births Funded by Medicaid, 2010

48.8%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Georgia

Live Births, 2012 (peristats)

Total Births	130,280
Non-Hispanic White	60,311
Non-Hispanic Black	44,293
Hispanic	17,472

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	7.2
Rank	35
Non-Hispanic White (per 1,000 live births)	5.4
Non-Hispanic Black (per 1,000 live births)	11.1
Hispanic (per 1,000 live births)	5.1

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	28

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	73.1%
Women who received late or no prenatal care	6.9%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	91.5%
4:3:1:3:3:1 Series	81.1%
Varicella	95.0%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	16,478
Proportion of Live Births	12.7%
Rank	42
Non-Hispanic White (2010-2012 average)	11.1%
Non-Hispanic Black (2010-2012 average)	16.8%
Hispanic (2010-2012 average)	11.8%

Late Preterm Births, 2012 (peristats)

Number	11,499
Proportion of Live Births	8.8%
Rank	41
Non-Hispanic White (2010-2012 average)	8.2%
Non-Hispanic Black (2010-2012 average)	11.1%
Hispanic (2010-2012 average)	8.7%

Very Preterm Births, 2012 (peristats)

Number	2,902
Proportion of Live Births	2.2%
Rank	40
Non-Hispanic White (2010-2012 average)	1.5%
Non-Hispanic Black (2010-2012 average)	3.6%
Hispanic (2010-2012 average)	1.7%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	9.3%
Rank	46
Non-Hispanic White (2010-2012 average)	7.5%
Non-Hispanic Black (2010-2012 average)	13.5%
Hispanic (2010-2012 average)	6.4%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.7%
Rank	45
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	2.9%
Hispanic (2010-2012 average)	1.1%

Georgia (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	544,325
Percent	26.1%
Rank	47

Children Under 19 without Health Insurance by State, 2013

Number	267,795
Percent	10.1%
Rank	44

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	225%
Infants Ages 0-1	210%
Children Ages 1-5	154%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	PeachCare for Kids
Pregnant Women/Maternity Care	N/A
Children Under 19	252%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	301
Children Under 19 (in thousands)	1,131
Total Enrollment (in thousands)	1,929
Women and Children as Percent of Total	75%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$1,254
Children Under 19 (in millions)	$2,295
Total Expenditures (in millions)	$7,703
Women and Children as Percent of Total	46%

CHIP Enrollment, 2013

Enrollment	222,373
Expenditures (in millions)	$300

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	66.94%
CHIP	76.86%

Percent of Births Funded by Medicaid, 2010

41.9%

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Hawaii

Live Births, 2012 march of dimes peristats

Total Births	18,980
Non-Hispanic White	4,725
Non-Hispanic Black	488
Hispanic	2,970

Infant Mortality

Infant Mortality, 2008-2010 average march of dimes peristats

Infant Mortality Rate (per 1,000 live births)	5.9
Rank	19
Non-Hispanic White (per 1,000 live births)	4.2
Non-Hispanic Black (per 1,000 live births)	10.8
Hispanic (per 1,000 live births)	6.1

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	29

Health Promotion

Prenatal Care, 2010 march of dimes peristats

Women who received early prenatal care	84.8%
Women who received late or no prenatal care	3.1%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	92.6%
4:3:1:3:3:1 Series	75.4%
Varicella	91.4%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 march of dimes peristats

Number	2,311
Proportion of Live Births	12.2%
Rank	36
Non-Hispanic White (2010-2012 average)	8.9%
Non-Hispanic Black (2010-2012 average)	12.4%
Hispanic (2010-2012 average)	13.1%

Late Preterm Births, 2012 march of dimes peristats

Number	1,703
Proportion of Live Births	9.0%
Rank	43
Non-Hispanic White (2010-2012 average)	6.7%
Non-Hispanic Black (2010-2012 average)	8.2%
Hispanic (2010-2012 average)	9.2%

Very Preterm Births, 2012 march of dimes peristats

Number	322
Proportion of Live Births	1.7%
Rank	21
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	2.9%
Hispanic (2010-2012 average)	2.2%

Low Birthweight Births, 2012 march of dimes peristats

Proportion of Live Births	8.1%
Rank	30
Non-Hispanic White (2010-2012 average)	6.1%
Non-Hispanic Black (2010-2012 average)	10.1%
Hispanic (2010-2012 average)	8.8%

Very Low Birthweight Births, 2012 march of dimes peristats

Proportion of Live Births	1.2%
Rank	00000
Non-Hispanic White (2010-2012 average)	0.9%
Non-Hispanic Black (2010-2012 average)	2.0%
Hispanic (2010-2012 average)	1.5%

Hawaii (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	23,550
Percent	9.0%
Rank	4

Children Under 19 without Health Insurance by State, 2013

Number	10,310
Percent	3.2%
Rank	3

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	196%
Infants Ages 0-1	359%
Children Ages 1-5	359%
Children Ages 6-18	359%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	QUEST
Pregnant Women/Maternity Care	N/A
Children Under 19	313%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	110
Children Under 19 (in thousands)	120
Total Enrollment (in thousands)	284
Women and Children as Percent of Total	81%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$413
Children Under 19 (in millions)	$247
Total Expenditures (in millions)	$1,544
Women and Children as Percent of Total	43%

CHIP Enrollment, 2013

Enrollment	29,784
Expenditures (in millions)	$29

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	52.23%
CHIP	66.56%

Percent of Births Funded by Medicaid, 2010

24.0%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Idaho

Live Births, 2012

Total Births	22,963
Non-Hispanic White	18,409
Non-Hispanic Black	182
Hispanic	3,496

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	5.3
Rank	12
Non-Hispanic White (per 1,000 live births)	5.0
Non-Hispanic Black (per 1,000 live births)	N/A
Hispanic (per 1,000 live births)	6.8

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	28

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	73.8%
Women who received late or no prenatal care	5.6%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	92.6%
4:3:1:3:3:1 Series	76.9%
Varicella	87.9%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	2,356
Proportion of Live Births	10.3%
Rank	13
Non-Hispanic White (2010-2012 average)	9.8%
Non-Hispanic Black (2010-2012 average)	14.8%
Hispanic (2010-2012 average)	11.6%

Late Preterm Births, 2012

Number	1,789
Proportion of Live Births	7.8%
Rank	22
Non-Hispanic White (2010-2012 average)	7.4%
Non-Hispanic Black (2010-2012 average)	9.6%
Hispanic (2010-2012 average)	8.5%

Very Preterm Births, 2012

Number	290
Proportion of Live Births	1.3%
Rank	4
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	3.4%
Hispanic (2010-2012 average)	1.6%

Low Birthweight Births, 2012

Proportion of Live Births	6.4%
Rank	7
Non-Hispanic White (2010-2012 average)	6.3%
Non-Hispanic Black (2010-2012 average)	7.7%
Hispanic (2010-2012 average)	6.7%

Very Low Birthweight Births, 2012

Proportion of Live Births	0.9%
Rank	1
Non-Hispanic White (2010-2012 average)	1.0%
Non-Hispanic Black (2010-2012 average)	2.4%
Hispanic (2010-2012 average)	1.0%

Idaho (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	68,390
Percent	22.5%
Rank	37

Children Under 19 without Health Insurance by State, 2013

Number	41,375
Percent	9.2%
Rank	42

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	138%
Infants Ages 0-1	147%
Children Ages 1-5	147%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Idaho Health Plan
Pregnant Women/Maternity Care	N/A
Children Under 19	190%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	39
Children Under 19 (in thousands)	170
Total Enrollment (in thousands)	271
Women and Children as Percent of Total	76%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$199
Children Under 19 (in millions)	$343
Total Expenditures (in millions)	$1,550
Women and Children as Percent of Total	35%

CHIP Enrollment, 2013

Enrollment	26,166
Expenditures (in millions)	$50

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	71.75%
CHIP	80.23%

Percent of Births Funded by Medicaid, 2010

38.6%

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Illinois

Live Births, 2012 (peristats)

Total Births	159,160
Non-Hispanic White	86,194
Non-Hispanic Black	27,274
Hispanic	34,787

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	7.0
Rank	33
Non-Hispanic White (per 1,000 live births)	5.5
Non-Hispanic Black (per 1,000 live births)	13.6
Hispanic (per 1,000 live births)	5.9

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	76.9%
Women who received late or no prenatal care	4.8%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	91.2%
4:3:1:3:3:1 Series	75.8%
Varicella	88.6%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	18,981
Proportion of Live Births	12.0%
Rank	33
Non-Hispanic White (2010-2012 average)	10.7%
Non-Hispanic Black (2010-2012 average)	17.0%
Hispanic (2010-2012 average)	12.1%

Late Preterm Births, 2012 (peristats)

Number	13,143
Proportion of Live Births	8.3%
Rank	34
Non-Hispanic White (2010-2012 average)	7.7%
Non-Hispanic Black (2010-2012 average)	10.6%
Hispanic (2010-2012 average)	8.5%

Very Preterm Births, 2012 (peristats)

Number	3,375
Proportion of Live Births	2.1%
Rank	37
Non-Hispanic White (2010-2012 average)	1.7%
Non-Hispanic Black (2010-2012 average)	4.0%
Hispanic (2010-2012 average)	2.0%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	8.1%
Rank	29
Non-Hispanic White (2010-2012 average)	7.0%
Non-Hispanic Black (2010-2012 average)	13.6%
Hispanic (2010-2012 average)	6.8%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.5%
Rank	33
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	3.1%
Hispanic (2010-2012 average)	1.3%

Illinois (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	419,150
Percent	16.1%
Rank	19

Children Under 19 without Health Insurance by State, 2013

Number	142,050
Percent	4.4%
Rank	9

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	213%
Infants Ages 0-1	147%
Children Ages 1-5	147%
Children Ages 6-18	147%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	ALL Kids
Pregnant Women/Maternity Care	213%
Children Under 19	318%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	Yes
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	797
Children Under 19 (in thousands)	1,572
Total Enrollment (in thousands)	2,927
Women and Children as Percent of Total	81%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$2,308
Children Under 19 (in millions)	$3,338
Total Expenditures (in millions)	$13,108
Women and Children as Percent of Total	43%

CHIP Enrollment, 2013

Enrollment	251,257
Expenditures (in millions)	$382

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.76%
CHIP	76.56%

Percent of Births Funded by Medicaid, 2010

52.0%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Indiana

Live Births, 2012 (peristats)

Total Births	83,227
Non-Hispanic White	63,801
Non-Hispanic Black	10,043
Hispanic	7,032

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	7.4
Rank	39
Non-Hispanic White (per 1,000 live births)	6.5
Non-Hispanic Black (per 1,000 live births)	14.1
Hispanic (per 1,000 live births)	6.8

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	68.7%
Women who received late or no prenatal care	6.4%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	91.9%
4:3:1:3:3:1 Series	77.2%
Varicella	90.7%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	9,052
Proportion of Live Births	10.9%
Rank	20
Non-Hispanic White (2010-2012 average)	10.8%
Non-Hispanic Black (2010-2012 average)	15.8%
Hispanic (2010-2012 average)	11.0%

Late Preterm Births, 2012 (peristats)

Number	6,481
Proportion of Live Births	7.8%
Rank	21
Non-Hispanic White (2010-2012 average)	7.8%
Non-Hispanic Black (2010-2012 average)	10.5%
Hispanic (2010-2012 average)	7.7%

Very Preterm Births, 2012 (peristats)

Number	1,429
Proportion of Live Births	1.7%
Rank	20
Non-Hispanic White (2010-2012 average)	1.6%
Non-Hispanic Black (2010-2012 average)	3.4%
Hispanic (2010-2012 average)	1.8%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	7.9%
Rank	22
Non-Hispanic White (2010-2012 average)	7.4%
Non-Hispanic Black (2010-2012 average)	13.0%
Hispanic (2010-2012 average)	6.6%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.3%
Rank	25
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	2.8%
Hispanic (2010-2012 average)	1.3%

Indiana (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	257,165
Percent	19.9%
Rank	29

Children Under 19 without Health Insurance by State, 2013

Number	142,805
Percent	8.5%
Rank	39

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	213%
Infants Ages 0-1	213%
Children Ages 1-5	163%
Children Ages 6-18	163%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Hoosier Healthwise
Pregnant Women/Maternity Care	N/A
Children Under 19	255%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	252
Children Under 19 (in thousands)	698
Total Enrollment (in thousands)	1,231
Women and Children as Percent of Total	77%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$904
Children Under 19 (in millions)	$1,299
Total Expenditures (in millions)	$6,473
Women and Children as Percent of Total	34%

CHIP Enrollment, 2013

Enrollment	84,541
Expenditures (in millions)	$107

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	66.52%
CHIP	76.56%

Percent of Births Funded by Medicaid, 2010

46.6%

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Iowa

Live Births, 2012

Total Births	38,702
Non-Hispanic White	32,075
Non-Hispanic Black	2,007
Hispanic	3,151

Infant Mortality

Infant Mortality, 2008-2010 average 

Infant Mortality Rate (per 1,000 live births)	5.1
Rank	9
Non-Hispanic White (per 1,000 live births)	4.7
Non-Hispanic Black (per 1,000 live births)	12.1
Hispanic (per 1,000 live births)	6.3

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	31

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	76.6%
Women who received late or no prenatal care	3.7%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	97.5%
4:3:1:3:3:1 Series	83.9%
Varicella	93.0%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	4,451
Proportion of Live Births	11.5%
Rank	28
Non-Hispanic White (2010-2012 average)	11.0%
Non-Hispanic Black (2010-2012 average)	16.5%
Hispanic (2010-2012 average)	11.9%

Late Preterm Births, 2012

Number	3,184
Proportion of Live Births	8.2%
Rank	33
Non-Hispanic White (2010-2012 average)	7.9%
Non-Hispanic Black (2010-2012 average)	11.3%
Hispanic (2010-2012 average)	8.8%

Very Preterm Births, 2012

Number	698
Proportion of Live Births	1.8%
Rank	25
Non-Hispanic White (2010-2012 average)	1.7%
Non-Hispanic Black (2010-2012 average)	3.1%
Hispanic (2010-2012 average)	1.6%

Low Birthweight Births, 2012

Proportion of Live Births	6.7%
Rank	11
Non-Hispanic White (2010-2012 average)	6.5%
Non-Hispanic Black (2010-2012 average)	11.5%
Hispanic (2010-2012 average)	5.9%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.2%
Rank	19
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	2.5%
Hispanic (2010-2012 average)	0.9%

Iowa (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013	
Number	67,825
Percent	11.5%
Rank	9

Children Under 19 without Health Insurance by State, 2013	
Number	33,595
Percent	4.4%
Rank	8

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)	
Pregnant Women	380%
Infants Ages 0-1	380%
Children Ages 1-5	172%
Children Ages 6-18	172%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)	
Program Name	Healthy and Well Kids in Iowa (Hawk-I)
Pregnant Women/Maternity Care	N/A
Children Under 19	307%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014	
Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	Yes
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011	
Non-disabled Women Ages 19-44 (in thousands)	184
Children Under 19 (in thousands)	285
Total Enrollment (in thousands)	598
Women and Children as Percent of Total	79%

Medicaid Expenditures, by Enrollee Characteristics, 2012	
Non-disabled Women Ages 19-44 (in millions)	$376
Children Under 19 (in millions)	$601
Total Expenditures (in millions)	$3,286
Women and Children as Percent of Total	29%

CHIP Enrollment, 2013	
Enrollment	64,493
Expenditures (in millions)	$80

Federal Matching Rates for Medicaid and CHIP, 2014	
Medicaid	55.54%
CHIP	68.88%

Percent of Births Funded by Medicaid, 2010
40.5%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Kansas

Live Births, 2012 (peristats)

Total Births	40,341
Non-Hispanic White	29,438
Non-Hispanic Black	2,961
Hispanic	6,291

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	6.9
Rank	31
Non-Hispanic White (per 1,000 live births)	6.3
Non-Hispanic Black (per 1,000 live births)	13.1
Hispanic (per 1,000 live births)	6.5

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	29

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	78.9%
Women who received late or no prenatal care	4.0%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	93.2%
4:3:1:3:3:1 Series	77.1%
Varicella	89.7%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	4,446
Proportion of Live Births	11.0%
Rank	22
Non-Hispanic White (2010-2012 average)	10.2%
Non-Hispanic Black (2010-2012 average)	16.3%
Hispanic (2010-2012 average)	11.5%

Late Preterm Births, 2012 (peristats)

Number	3,175
Proportion of Live Births	7.9%
Rank	24
Non-Hispanic White (2010-2012 average)	7.5%
Non-Hispanic Black (2010-2012 average)	10.8%
Hispanic (2010-2012 average)	8.2%

Very Preterm Births, 2012 (peristats)

Number	704
Proportion of Live Births	1.7%
Rank	19
Non-Hispanic White (2010-2012 average)	1.5%
Non-Hispanic Black (2010-2012 average)	3.5%
Hispanic (2010-2012 average)	1.7%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	7.1%
Rank	16
Non-Hispanic White (2010-2012 average)	6.6%
Non-Hispanic Black (2010-2012 average)	13.0%
Hispanic (2010-2012 average)	6.6%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.3%
Rank	24
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	2.9%
Hispanic (2010-2012 average)	1.2%

Kansas (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	103,015
Percent	18.5%
Rank	26

Children Under 19 without Health Insurance by State, 2013

Number	49,545
Percent	6.5%
Rank	32

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	171%
Infants Ages 0-1	171%
Children Ages 1-5	154%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Healthwave
Pregnant Women/Maternity Care	N/A
Children Under 19	250%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	Yes
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	55
Children Under 19 (in thousands)	224
Total Enrollment (in thousands)	394
Women and Children as Percent of Total	71%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$228
Children Under 19 (in millions)	$549
Total Expenditures (in millions)	$2,621
Women and Children as Percent of Total	30%

CHIP Enrollment, 2013

Enrollment	56,101
Expenditures (in millions)	$71

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	56.63%
CHIP	69.64%

Percent of Births Funded by Medicaid, 2010

32.5%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Kentucky

Live Births, 2012 (peristats)

Total Births	55,758
Non-Hispanic White	46,685
Non-Hispanic Black	5,073
Hispanic	2,733

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	6.9
Rank	30
Non-Hispanic White (per 1,000 live births)	6.7
Non-Hispanic Black (per 1,000 live births)	10.5
Hispanic (per 1,000 live births)	4.7

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	29

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	75.6%
Women who received late or no prenatal care	5.1%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	91.0%
4:3:1:3:3:1 Series	80.5%
Varicella	91.5%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	7,103
Proportion of Live Births	12.7%
Rank	41
Non-Hispanic White (2010-2012 average)	13.0%
Non-Hispanic Black (2010-2012 average)	17.0%
Hispanic (2010-2012 average)	12.5%

Late Preterm Births, 2012 (peristats)

Number	4,968
Proportion of Live Births	8.9%
Rank	42
Non-Hispanic White (2010-2012 average)	9.3%
Non-Hispanic Black (2010-2012 average)	11.3%
Hispanic (2010-2012 average)	8.8%

Very Preterm Births, 2012 (peristats)

Number	1,257
Proportion of Live Births	2.3%
Rank	43
Non-Hispanic White (2010-2012 average)	2.0%
Non-Hispanic Black (2010-2012 average)	3.7%
Hispanic (2010-2012 average)	2.1%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	8.7%
Rank	38
Non-Hispanic White (2010-2012 average)	8.5%
Non-Hispanic Black (2010-2012 average)	13.6%
Hispanic (2010-2012 average)	7.0%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.6%
Rank	38
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	3.2%
Hispanic (2010-2012 average)	1.3%

Kentucky (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	183,035
Percent	21.6%
Rank	34

Children Under 19 without Health Insurance by State, 2013

Number	68,670
Percent	6.4%
Rank	30

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	200%
Infants Ages 0-1	200%
Children Ages 1-5	164%
Children Ages 6-18	164%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	KCHIP (Kentucky Children's Health Insurance Program)
Pregnant Women/Maternity Care	N/A
Children Under 19	218%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	145
Children Under 19 (in thousands)	462
Total Enrollment (in thousands)	947
Women and Children as Percent of Total	64%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$723
Children Under 19 (in millions)	$1,345
Total Expenditures (in millions)	$5,623
Women and Children as Percent of Total	37%

CHIP Enrollment, 2013

Enrollment	64,844
Expenditures (in millions)	$139

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	69.94%
CHIP	78.96%

Percent of Births Funded by Medicaid, 2010

43.6%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Louisiana

Live Births, 2012 march of dimes peristats

Total Births	62,642
Non-Hispanic White	33,316
Non-Hispanic Black	23,846
Hispanic	3,737

Infant Mortality

Infant Mortality, 2008-2010 average march of dimes peristats

Infant Mortality Rate (per 1,000 live births)	8.5
Rank	48
Non-Hispanic White (per 1,000 live births)	6.6
Non-Hispanic Black (per 1,000 live births)	11.9
Hispanic (per 1,000 live births)	3.3

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010 march of dimes peristats

Women who received early prenatal care	74.2%
Women who received late or no prenatal care	6.5%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	91.2%
4:3:1:3:3:1 Series	76.7%
Varicella	92.0%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 march of dimes peristats

Number	9,563
Proportion of Live Births	15.3%
Rank	50
Non-Hispanic White (2010-2012 average)	12.5%
Non-Hispanic Black (2010-2012 average)	19.8%
Hispanic (2010-2012 average)	12.4%

Late Preterm Births, 2012 march of dimes peristats

Number	6,574
Proportion of Live Births	10.5%
Rank	50
Non-Hispanic White (2010-2012 average)	9.3%
Non-Hispanic Black (2010-2012 average)	12.7%
Hispanic (2010-2012 average)	8.8%

Very Preterm Births, 2012 march of dimes peristats

Number	1,725
Proportion of Live Births	2.8%
Rank	50
Non-Hispanic White (2010-2012 average)	1.7%
Non-Hispanic Black (2010-2012 average)	4.3%
Hispanic (2010-2012 average)	2.0%

Low Birthweight Births, 2012 march of dimes peristats

Proportion of Live Births	10.8%
Rank	50
Non-Hispanic White (2010-2012 average)	8.1%
Non-Hispanic Black (2010-2012 average)	15.3%
Hispanic (2010-2012 average)	7.2%

Very Low Birthweight Births, 2012 march of dimes peristats

Proportion of Live Births	2.0%
Rank	50
Non-Hispanic White (2010-2012 average)	1.3%
Non-Hispanic Black (2010-2012 average)	3.2%
Hispanic (2010-2012 average)	1.3%

Louisiana (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	223,765
Percent	23.9%
Rank	43

Children Under 19 without Health Insurance by State, 2013

Number	72,255
Percent	6.2%
Rank	27

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	138%
Infants Ages 0-1	217%
Children Ages 1-5	217%
Children Ages 6-18	217%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	LaCHIP
Pregnant Women/Maternity Care	214%
Children Under 19	255%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	252
Children Under 19 (in thousands)	679
Total Enrollment (in thousands)	1,285
Women and Children as Percent of Total	73%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$733
Children Under 19 (in millions)	$1,420
Total Expenditures (in millions)	$6,259
Women and Children as Percent of Total	35%

CHIP Enrollment, 2013

Enrollment	121,699
Expenditures (in millions)	$237

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	62.05%
CHIP	73.44%

Percent of Births Funded by Medicaid, 2010

69.0%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Maine

Live Births, 2012

Total Births	12,798
Non-Hispanic White	11,782
Non-Hispanic Black	399
Hispanic	208

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	5.5
Rank	15
Non-Hispanic White (per 1,000 live births)	5.5
Non-Hispanic Black (per 1,000 live births)	N/A
Hispanic (per 1,000 live births)	N/A

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	90.1%
Women who received late or no prenatal care	1.5%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	94.0%
4:3:1:3:3:1 Series	74.5%
Varicella	90.5%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	1,186
Proportion of Live Births	9.3
Rank	4
Non-Hispanic White (2010-2012 average)	9.5%
Non-Hispanic Black (2010-2012 average)	11.5%
Hispanic (2010-2012 average)	11.2%

Late Preterm Births, 2012

Number	807
Proportion of Live Births	6.3%
Rank	2
Non-Hispanic White (2010-2012 average)	6.6%
Non-Hispanic Black (2010-2012 average)	7.5%
Hispanic (2010-2012 average)	7.5%

Very Preterm Births, 2012

Number	220
Proportion of Live Births	1.7%
Rank	18
Non-Hispanic White (2010-2012 average)	1.6%
Non-Hispanic Black (2010-2012 average)	2.0%
Hispanic (2010-2012 average)	2.7%

Low Birthweight Births, 2012

Proportion of Live Births	6.6%
Rank	9
Non-Hispanic White (2010-2012 average)	6.5%
Non-Hispanic Black (2010-2012 average)	8.1%
Hispanic (2010-2012 average)	7.7%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.0%
Rank	7
Non-Hispanic White (2010-2012 average)	1.0%
Non-Hispanic Black (2010-2012 average)	1.6%
Hispanic (2010-2012 average)	1.8%

Maine (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	32,965
Percent	14.1%
Rank	14

Children Under 19 without Health Insurance by State, 2013

Number	16,225
Percent	5.9%
Rank	21

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	214%
Infants Ages 0-1	196%
Children Ages 1-5	162%
Children Ages 6-18	162%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	MaineCare
Pregnant Women/Maternity Care	N/A
Children Under 19	213%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	107
Children Under 19 (in thousands)	126
Total Enrollment (in thousands)	376
Women and Children as Percent of Total	62%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$243
Children Under 19 (in millions)	$325
Total Expenditures (in millions)	$2,234
Women and Children as Percent of Total	26%

CHIP Enrollment, 2013

Enrollment	12,009
Expenditures (in millions)	$46

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	61.88%
CHIP	73.32%

Percent of Births Funded by Medicaid, 2010

63.0%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Maryland

Live Births, 2012

Total Births	72,833
Non-Hispanic White	33,158
Non-Hispanic Black	23,870
Hispanic	10,228

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	7.3
Rank	36
Non-Hispanic White (per 1,000 live births)	4.6
Non-Hispanic Black (per 1,000 live births)	12.7
Hispanic (per 1,000 live births)	4.9

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	68.0%
Women who received late or no prenatal care	8.7%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	97.0%
4:3:1:3:3:1 Series	81.9%
Varicella	94.2%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	8,914
Proportion of Live Births	12.2%
Rank	35
Non-Hispanic White (2010-2012 average)	10.1%
Non-Hispanic Black (2010-2012 average)	16.1%
Hispanic (2010-2012 average)	12.8%

Late Preterm Births, 2012

Number	6,089
Proportion of Live Births	8.4%
Rank	37
Non-Hispanic White (2010-2012 average)	7.4%
Non-Hispanic Black (2010-2012 average)	10.3%
Hispanic (2010-2012 average)	9.2%

Very Preterm Births, 2012

Number	1,626
Proportion of Live Births	2.2%
Rank	39
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	3.7%
Hispanic (2010-2012 average)	2.0%

Low Birthweight Births, 2012

Proportion of Live Births	8.8%
Rank	42
Non-Hispanic White (2010-2012 average)	6.8%
Non-Hispanic Black (2010-2012 average)	12.4%
Hispanic (2010-2012 average)	7.1%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.7%
Rank	44
Non-Hispanic White (2010-2012 average)	1.0%
Non-Hispanic Black (2010-2012 average)	3.0%
Hispanic (2010-2012 average)	1.3%

Maryland (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	153,560
Percent	12.9%
Rank	11

Children Under 19 without Health Insurance by State, 2013

Number	67,005
Percent	4.7%
Rank	11

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	264%
Infants Ages 0-1	322%
Children Ages 1-5	322%
Children Ages 6-18	322%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Maryland Children's Health Program (MCHP)
Pregnant Women/Maternity Care	N/A
Children Under 19	322%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	271
Children Under 19 (in thousands)	478
Total Enrollment (in thousands)	975
Women and Children as Percent of Total	77%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$1,258
Children Under 19 (in millions)	$1,452
Total Expenditures (in millions)	$7,400
Women and Children as Percent of Total	37%

CHIP Enrollment, 2013

Enrollment	98,552
Expenditures (in millions)	$238

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	55.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

25.9%

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Massachusetts

Live Births, 2012 (peristats)

Total Births	72,439
Non-Hispanic White	45,500
Non-Hispanic Black	7,005
Hispanic	12,571

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	4.8
Rank	2
Non-Hispanic White (per 1,000 live births)	3.8
Non-Hispanic Black (per 1,000 live births)	9.2
Hispanic (per 1,000 live births)	6.7

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	26

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	82.1%
Women who received late or no prenatal care	3.3%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	97.9%
4:3:1:3:3:1 Series	85.1%
Varicella	94.7%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	7,327
Proportion of Live Births	10.1%
Rank	10
Non-Hispanic White (2010-2012 average)	9.8%
Non-Hispanic Black (2010-2012 average)	13.4%
Hispanic (2010-2012 average)	11.2%

Late Preterm Births, 2012 (peristats)

Number	5,181
Proportion of Live Births	7.2%
Rank	11
Non-Hispanic White (2010-2012 average)	7.1%
Non-Hispanic Black (2010-2012 average)	8.8%
Hispanic (2010-2012 average)	7.7%

Very Preterm Births, 2012 (peristats)

Number	1,202
Proportion of Live Births	1.7%
Rank	17
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	2.8%
Hispanic (2010-2012 average)	2.0%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	7.6%
Rank	19
Non-Hispanic White (2010-2012 average)	7.0%
Non-Hispanic Black (2010-2012 average)	10.5%
Hispanic (2010-2012 average)	8.3%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.2%
Rank	18
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	2.2%
Hispanic (2010-2012 average)	1.5%

Massachusetts (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	57,975
Percent	4.3%
Rank	1

Children Under 19 without Health Insurance by State, 2013

Number	24,170
Percent	1.6%
Rank	1

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	205%
Infants Ages 0-1	205%
Children Ages 1-5	155%
Children Ages 6-18	155%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	MassHealth
Pregnant Women/Maternity Care	205%
Children Under 19	305%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	Yes
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	619
Children Under 19 (in thousands)	389
Total Enrollment (in thousands)	1,509
Women and Children as Percent of Total	67%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$2,538
Children Under 19 (in millions)	$1,540
Total Expenditures (in millions)	$13,152
Women and Children as Percent of Total	31%

CHIP Enrollment, 2013

Enrollment	121,775
Expenditures (in millions)	$353

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

26.8%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Michigan

Live Births, 2012 (peristats)

Total Births	113,091
Non-Hispanic White	79,044
Non-Hispanic Black	21,543
Hispanic	7,380

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	7.4
Rank	38
Non-Hispanic White (per 1,000 live births)	5.7
Non-Hispanic Black (per 1,000 live births)	14.3
Hispanic (per 1,000 live births)	6.4

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	31

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	77.6%
Women who received late or no prenatal care	4.7%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	90.8%
4:3:1:3:3:1 Series	74.7%
Varicella	87.5%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	13,381
Proportion of Live Births	11.8%
Rank	31
Non-Hispanic White (2010-2012 average)	10.5%
Non-Hispanic Black (2010-2012 average)	17.9%
Hispanic (2010-2012 average)	12.5%

Late Preterm Births, 2012 (peristats)

Number	9,146
Proportion of Live Births	8.1%
Rank	29
Non-Hispanic White (2010-2012 average)	7.5%
Non-Hispanic Black (2010-2012 average)	11.1%
Hispanic (2010-2012 average)	8.7%

Very Preterm Births, 2012 (peristats)

Number	2,482
Proportion of Live Births	2.2%
Rank	38
Non-Hispanic White (2010-2012 average)	1.6%
Non-Hispanic Black (2010-2012 average)	4.2%
Hispanic (2010-2012 average)	2.1%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	8.4%
Rank	34
Non-Hispanic White (2010-2012 average)	7.0%
Non-Hispanic Black (2010-2012 average)	13.9%
Hispanic (2010-2012 average)	7.1%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.6%
Rank	37
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	3.1%
Hispanic (2010-2012 average)	1.4%

Michigan (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	282,465
Percent	14.9%
Rank	17

Children Under 19 without Health Insurance by State, 2013

Number	103,985
Percent	4.4%
Rank	7

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	200%
Infants Ages 0-1	200%
Children Ages 1-5	165%
Children Ages 6-18	165%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	MIChild
Pregnant Women/Maternity Care	200%
Children Under 19	217%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	Yes
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	630
Children Under 19 (in thousands)	1,190
Total Enrollment (in thousands)	2,348
Women and Children as Percent of Total	78%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$1,935
Children Under 19 (in millions)	$2,274
Total Expenditures (in millions)	$11,895
Women and Children as Percent of Total	38%

CHIP Enrollment, 2013

Enrollment	49,549
Expenditures (in millions)	$259

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	65.54%
CHIP	75.88%

Percent of Births Funded by Medicaid, 2010

45.3%

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Minnesota

Live Births, 2012

Total Births	68,772
Non-Hispanic White	50,067
Non-Hispanic Black	6,963
Hispanic	4,831

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	5.0
Rank	8
Non-Hispanic White (per 1,000 live births)	4.3
Non-Hispanic Black (per 1,000 live births)	9.6
Hispanic (per 1,000 live births)	5.0

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	31

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	78.1%
Women who received late or no prenatal care	3.9%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	94.8%
4:3:1:3:3:1 Series	80.4%
Varicella	89.2%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	6,980
Proportion of Live Births	10.2%
Rank	12
Non-Hispanic White (2010-2012 average)	9.6%
Non-Hispanic Black (2010-2012 average)	12.8%
Hispanic (2010-2012 average)	10.1%

Late Preterm Births, 2012

Number	4,883
Proportion of Live Births	7.1%
Rank	9
Non-Hispanic White (2010-2012 average)	6.9%
Non-Hispanic Black (2010-2012 average)	8.3%
Hispanic (2010-2012 average)	7.3%

Very Preterm Births, 2012

Number	1,120
Proportion of Live Births	1.6%
Rank	13
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	2.6%
Hispanic (2010-2012 average)	1.5%

Low Birthweight Births, 2012

Proportion of Live Births	6.6%
Rank	8
Non-Hispanic White (2010-2012 average)	5.9%
Non-Hispanic Black (2010-2012 average)	10.2%
Hispanic (2010-2012 average)	5.9%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.1%
Rank	13
Non-Hispanic White (2010-2012 average)	1.0%
Non-Hispanic Black (2010-2012 average)	2.1%
Hispanic (2010-2012 average)	1.0%

Minnesota (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	109,665
Percent	10.5%
Rank	5

Children Under 19 without Health Insurance by State, 2013

Number	79,930
Percent	5.9%
Rank	22

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	283%
Infants Ages 0-1	288%
Children Ages 1-5	280%
Children Ages 6-18	280%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	MinnesotaCare
Pregnant Women/Maternity Care	283%
Children Under 19	280%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	401
Children Under 19 (in thousands)	464
Total Enrollment (in thousands)	1,104
Women and Children as Percent of Total	78%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$1,426
Children Under 19 (in millions)	$1,586
Total Expenditures (in millions)	$8,287
Women and Children as Percent of Total	78%

CHIP Enrollment, 2013

Enrollment	1,658
Expenditures (in millions)	$48

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

43.8%

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Mississippi

Live Births, 2012 (peristats)

Total Births	38,669
Non-Hispanic White	20,157
Non-Hispanic Black	16,499
Hispanic	1,280

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	9.9
Rank	38
Non-Hispanic White (per 1,000 live births)	7.2
Non-Hispanic Black (per 1,000 live births)	13.4
Hispanic (per 1,000 live births)	6.0

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	83.9%
Women who received late or no prenatal care	3.0%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	94.9%
4:3:1:3:3:1 Series	81.9%
Varicella	92.9%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	6,613
Proportion of Live Births	17.1%
Rank	51
Non-Hispanic White (2010-2012 average)	14.1%
Non-Hispanic Black (2010-2012 average)	21.3%
Hispanic (2010-2012 average)	14.1%

Late Preterm Births, 2012 (peristats)

Number	4,619
Proportion of Live Births	12.0%
Rank	????
Non-Hispanic White (2010-2012 average)	10.6%
Non-Hispanic Black (2010-2012 average)	14.0%
Hispanic (2010-2012 average)	10.9%

Very Preterm Births, 2012 (peristats)

Number	1,112
Proportion of Live Births	2.9%
Rank	51
Non-Hispanic White (2010-2012 average)	1.7%
Non-Hispanic Black (2010-2012 average)	4.3%
Hispanic (2010-2012 average)	11.6%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	11.6%
Rank	51
Non-Hispanic White (2010-2012 average)	8.6%
Non-Hispanic Black (2010-2012 average)	16.3%
Hispanic (2010-2012 average)	6.1%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	2.1%
Rank	51
Non-Hispanic White (2010-2012 average)	1.3%
Non-Hispanic Black (2010-2012 average)	3.2%
Hispanic (2010-2012 average)	1.3%

Mississippi (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	146,480
Percent	24.4%
Rank	44

Children Under 19 without Health Insurance by State, 2013

Number	62,805
Percent	8.0%
Rank	38

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	199%
Infants Ages 0-1	199%
Children Ages 1-5	148%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	CHIP
Pregnant Women/Maternity Care	N/A
Children Under 19	214%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	114
Children Under 19 (in thousands)	407
Total Enrollment (in thousands)	782
Women and Children as Percent of Total	67%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$464
Children Under 19 (in millions)	$989
Total Expenditures (in millions)	$4,170
Women and Children as Percent of Total	35%

CHIP Enrollment, 2013

Enrollment	69,609
Expenditures (in millions)	$179

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	73.58%
CHIP	81.51%

Percent of Births Funded by Medicaid, 2010

64.7

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Missouri

Live Births, 2012 (peristats)

Total Births	75,446
Non-Hispanic White	57,350
Non-Hispanic Black	11,319
Hispanic	4,052

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	6.9
Rank	29
Non-Hispanic White (per 1,000 live births)	6.0
Non-Hispanic Black (per 1,000 live births)	12.8
Hispanic (per 1,000 live births)	5.5

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	76.0%
Women who received late or no prenatal care	4.8%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	91.0%
4:3:1:3:3:1 Series	74.0%
Varicella	88.7%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	8,781
Proportion of Live Births	11.7%
Rank	30
Non-Hispanic White (2010-2012 average)	10.7%
Non-Hispanic Black (2010-2012 average)	17.3%
Hispanic (2010-2012 average)	11.9%

Late Preterm Births, 2012 (peristats)

Number	6,205
Proportion of Live Births	8.2%
Rank	32
Non-Hispanic White (2010-2012 average)	7.8%
Non-Hispanic Black (2010-2012 average)	11.1%
Hispanic (2010-2012 average)	8.3%

Very Preterm Births, 2012 (peristats)

Number	1,477
Proportion of Live Births	2.0%
Rank	34
Non-Hispanic White (2010-2012 average)	1.6%
Non-Hispanic Black (2010-2012 average)	4.0%
Hispanic (2010-2012 average)	1.8%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	7.7%
Rank	20
Non-Hispanic White (2010-2012 average)	6.9%
Non-Hispanic Black (2010-2012 average)	13.7%
Hispanic (2010-2012 average)	6.5%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.4%
Rank	27
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	3.0%
Hispanic (2010-2012 average)	1.1%

Missouri (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	212,330
Percent	18.2%
Rank	25

Children Under 19 without Health Insurance by State, 2013

Number	105,265
Percent	7.1%
Rank	35

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	201%
Infants Ages 0-1	201%
Children Ages 1-5	155%
Children Ages 6-18	155%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	MO HealthNet for Kids
Pregnant Women/Maternity Care	N/A
Children Under 19	305%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	235
Children Under 19 (in thousands)	602
Total Enrollment (in thousands)	1,149
Women and Children as Percent of Total	72%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$705
Children Under 19 (in millions)	$1,793
Total Expenditures (in millions)	$7,454
Women and Children as Percent of Total	33%

CHIP Enrollment, 2013

Enrollment	69,854
Expenditures (in millions)	$136

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	63.45%
CHIP	74.42%

Percent of Births Funded by Medicaid, 2010

42.3%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Montana

Live Births, 2012 (peristats)

Total Births	12,118
Non-Hispanic White	9,965
Non-Hispanic Black	77
Hispanic	468

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	6.5
Rank	26
Non-Hispanic White (per 1,000 live births)	6.1
Non-Hispanic Black (per 1,000 live births)	N/A
Hispanic (per 1,000 live births)	N/A

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	29

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	73.5%
Women who received late or no prenatal care	6.2%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	92.7%
4:3:1:3:3:1 Series	72.8%
Varicella	87.1%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	1,354
Proportion of Live Births	11.2%
Rank	25
Non-Hispanic White (2010-2012 average)	10.7%
Non-Hispanic Black (2010-2012 average)	15.3%
Hispanic (2010-2012 average)	10.8%

Late Preterm Births, 2012 (peristats)

Number	984
Proportion of Live Births	8.1%
Rank	28
Non-Hispanic White (2010-2012 average)	7.8%
Non-Hispanic Black (2010-2012 average)	13.4%
Hispanic (2010-2012 average)	7.9%

Very Preterm Births, 2012 (peristats)

Number	213
Proportion of Live Births	1.8%
Rank	24
Non-Hispanic White (2010-2012 average)	1.6%
Non-Hispanic Black (2010-2012 average)	N/A
Hispanic (2010-2012 average)	1.6%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	7.4%
Rank	18
Non-Hispanic White (2010-2012 average)	7.2%
Non-Hispanic Black (2010-2012 average)	8.3%
Hispanic (2010-2012 average)	7.3%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.1%
Rank	12
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	N/A
Hispanic (2010-2012 average)	0.9%

Montana (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	42,845
Percent	23.1%
Rank	42

Children Under 19 without Health Insurance by State, 2013

Number	25,290
Percent	10.6%
Rank	45

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	162%
Infants Ages 0-1	148%
Children Ages 1-5	148%
Children Ages 6-18	148%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Healthy Montana Kids
Pregnant Women/Maternity Care	N/A
Children Under 19	266%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	Yes
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	20
Children Under 19 (in thousands)	76
Total Enrollment (in thousands)	129
Women and Children as Percent of Total	75%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$100
Children Under 19 (in millions)	$231
Total Expenditures (in millions)	$949
Women and Children as Percent of Total	34%

CHIP Enrollment, 2013

Enrollment	31,844
Expenditures (in millions)	$40

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	65.90%
CHIP	76.13%

Percent of Births Funded by Medicaid, 2010

35.0%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

State Data 2014

Nebraska

Live Births, 2012

Total Births	25,942
Non-Hispanic White	19,172
Non-Hispanic Black	1,788
Hispanic	3,834

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	5.4
Rank	13
Non-Hispanic White (per 1,000 live births)	4.6
Non-Hispanic Black (per 1,000 live births)	13.5
Hispanic (per 1,000 live births)	5.5

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	74.9%
Women who received late or no prenatal care	4.4%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	95.9%
4:3:1:3:3:1 Series	82.5%
Varicella	92.2%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	2,871
Proportion of Live Births	11.1%
Rank	23
Non-Hispanic White (2010-2012 average)	10.3%
Non-Hispanic Black (2010-2012 average)	16.1%
Hispanic (2010-2012 average)	12.4%

Late Preterm Births, 2012

Number	2,093
Proportion of Live Births	8.1%
Rank	27
Non-Hispanic White (2010-2012 average)	7.5%
Non-Hispanic Black (2010-2012 average)	10.9%
Hispanic (2010-2012 average)	8.9%

Very Preterm Births, 2012

Number	404
Proportion of Live Births	1.6%
Rank	12
Non-Hispanic White (2010-2012 average)	1.5%
Non-Hispanic Black (2010-2012 average)	3.3%
Hispanic (2010-2012 average)	1.6%

Low Birthweight Births, 2012

Proportion of Live Births	6.7%
Rank	10
Non-Hispanic White (2010-2012 average)	6.3%
Non-Hispanic Black (2010-2012 average)	13.1%
Hispanic (2010-2012 average)	6.5%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.1%
Rank	11
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	2.6%
Hispanic (2010-2012 average)	1.1%

Nebraska (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	58,915
Percent	16.3%
Rank	20

Children Under 19 without Health Insurance by State, 2013

Number	27,965
Percent	5.7%
Rank	17

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	199%
Infants Ages 0-1	218%
Children Ages 1-5	218%
Children Ages 6-18	218%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Kids Connection
Pregnant Women/Maternity Care	202%
Children Under 19	218%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	47
Children Under 19 (in thousands)	164
Total Enrollment (in thousands)	276
Women and Children as Percent of Total	76%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$190
Children Under 19 (in millions)	$334
Total Expenditures (in millions)	$1,592
Women and Children as Percent of Total	33%

CHIP Enrollment, 2013

Enrollment	31,939
Expenditures (in millions)	$51

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	53.27%
CHIP	67.29%

Percent of Births Funded by Medicaid, 2010

31.1%

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Nevada

Live Births, 2012

Total Births	34,911
Non-Hispanic White	14,967
Non-Hispanic Black	3,709
Hispanic	12,759

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	5.6
Rank	17
Non-Hispanic White (per 1,000 live births)	5.3
Non-Hispanic Black (per 1,000 live births)	10.0
Hispanic (per 1,000 live births)	5.0

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	28

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	68.1%
Women who received late or no prenatal care	10.8%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	92.0%
4:3:1:3:3:1 Series	72.2%
Varicella	88.6%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	4,515
Proportion of Live Births	13.0%
Rank	45
Non-Hispanic White (2010-2012 average)	11.7%
Non-Hispanic Black (2010-2012 average)	17.9%
Hispanic (2010-2012 average)	13.7%

Late Preterm Births, 2012

Number	2,093
Proportion of Live Births	9.4%
Rank	46
Non-Hispanic White (2010-2012 average)	8.6%
Non-Hispanic Black (2010-2012 average)	12.2%
Hispanic (2010-2012 average)	10.0%

Very Preterm Births, 2012

Number	651
Proportion of Live Births	1.9%
Rank	28
Non-Hispanic White (2010-2012 average)	1.6%
Non-Hispanic Black (2010-2012 average)	3.7%
Hispanic (2010-2012 average)	1.9%

Low Birthweight Births, 2012

Proportion of Live Births	8.0%
Rank	26
Non-Hispanic White (2010-2012 average)	7.6%
Non-Hispanic Black (2010-2012 average)	13.4%
Hispanic (2010-2012 average)	6.9%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.3%
Rank	23
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	2.7%
Hispanic (2010-2012 average)	1.1%

Nevada (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	158,155
Percent	28.5%
Rank	50

Children Under 19 without Health Insurance by State, 2013

Number	106,390
Percent	15.3%
Rank	51

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	165%
Infants Ages 0-1	165%
Children Ages 1-5	165%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Nevada Check Up
Pregnant Women/Maternity Care	N/A
Children Under 19	205%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	76
Children Under 19 (in thousands)	232
Total Enrollment (in thousands)	388
Women and Children as Percent of Total	80%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$181
Children Under 19 (in millions)	$450
Total Expenditures (in millions)	$1,447
Women and Children as Percent of Total	33%

CHIP Enrollment, 2013

Enrollment	22,116
Expenditures (in millions)	$35

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	64.36%
CHIP	75.05%

Percent of Births Funded by Medicaid, 2010

44.1%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

New Hampshire

Live Births, 2012

Total Births	12,352
Non-Hispanic White	10,975
Non-Hispanic Black	202
Hispanic	559

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	4.2
Rank	1
Non-Hispanic White (per 1,000 live births)	4.2
Non-Hispanic Black (per 1,000 live births)	N/A
Hispanic (per 1,000 live births)	6.1

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	29

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	82.4%
Women who received late or no prenatal care	3.7%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	97.2%
4:3:1:3:3:1 Series	83.4%
Varicella	93.0%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	1,159
Proportion of Live Births	9.4%
Rank	5
Non-Hispanic White (2010-2012 average)	9.3%
Non-Hispanic Black (2010-2012 average)	13.4%
Hispanic (2010-2012 average)	11.3%

Late Preterm Births, 2012

Number	844
Proportion of Live Births	6.8%
Rank	4
Non-Hispanic White (2010-2012 average)	6.7%
Non-Hispanic Black (2010-2012 average)	9.0%
Hispanic (2010-2012 average)	7.7%

Very Preterm Births, 2012

Number	172
Proportion of Live Births	1.4%
Rank	5
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	2.7%
Hispanic (2010-2012 average)	2.0%

Low Birthweight Births, 2012

Proportion of Live Births	7.3%
Rank	17
Non-Hispanic White (2010-2012 average)	7.0%
Non-Hispanic Black (2010-2012 average)	10.2%
Hispanic (2010-2012 average)	8.1%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.0%
Rank	6
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	1.5%
Hispanic (2010-2012 average)	1.6%

New Hampshire (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	36,745
Percent	15.1%
Rank	18

Children Under 19 without Health Insurance by State, 2013

Number	11,590
Percent	4.0%
Rank	5

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	201%
Infants Ages 0-1	199%
Children Ages 1-5	147%
Children Ages 6-18	147%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Healthy Kids
Pregnant Women/Maternity Care	N/A
Children Under 19	323%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	76
Children Under 19 (in thousands)	232
Total Enrollment (in thousands)	388
Women and Children as Percent of Total	72%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$83
Children Under 19 (in millions)	$326
Total Expenditures (in millions)	$1,243
Women and Children as Percent of Total	33%

CHIP Enrollment, 2013

Enrollment	12,911
Expenditures (in millions)	$17

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

29.9%

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

New Jersey

Live Births, 2012 (peristats)

Total Births	104,230
Non-Hispanic White	47,944
Non-Hispanic Black	16,183
Hispanic	27,611

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	5.2
Rank	10
Non-Hispanic White (per 1,000 live births)	3.6
Non-Hispanic Black (per 1,000 live births)	12.2
Hispanic (per 1,000 live births)	4.8

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	31

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	81.3%
Women who received late or no prenatal care	3.8%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	91.8%
4:3:1:3:3:1 Series	77.4%
Varicella	91.9%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	11,669
Proportion of Live Births	11.2%
Rank	24
Non-Hispanic White (2010-2012 average)	10.2%
Non-Hispanic Black (2010-2012 average)	15.7%
Hispanic (2010-2012 average)	12.0%

Late Preterm Births, 2012 (peristats)

Number	7,992
Proportion of Live Births	7.7%
Rank	19
Non-Hispanic White (2010-2012 average)	7.1%
Non-Hispanic Black (2010-2012 average)	9.6%
Hispanic (2010-2012 average)	8.3%

Very Preterm Births, 2012 (peristats)

Number	2,101
Proportion of Live Births	2.0%
Rank	33
Non-Hispanic White (2010-2012 average)	1.6%
Non-Hispanic Black (2010-2012 average)	4.0%
Hispanic (2010-2012 average)	2.0%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	8.2%
Rank	31
Non-Hispanic White (2010-2012 average)	7.3%
Non-Hispanic Black (2010-2012 average)	12.4%
Hispanic (2010-2012 average)	7.3%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.5%
Rank	32
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	3.2%
Hispanic (2010-2012 average)	1.3%

New Jersey (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	317,200
Percent	18.5%
Rank	27

Children Under 19 without Health Insurance by State, 2013

Number	124,105
Percent	5.8%
Rank	20

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	199%
Infants Ages 0-1	199%
Children Ages 1-5	147%
Children Ages 6-18	147%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	NJ Family Care
Pregnant Women/Maternity Care	205%
Children Under 19	355%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	Yes
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	142
Children Under 19 (in thousands)	586
Total Enrollment (in thousands)	1,055
Women and Children as Percent of Total	69%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$738
Children Under 19 (in millions)	$1,698
Total Expenditures (in millions)	$9,222
Women and Children as Percent of Total	26%

CHIP Enrollment, 2013

Enrollment	172,764
Expenditures (in millions)	$680

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

28.1%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

New Mexico

Live Births, 2012

Total Births	27,068
Non-Hispanic White	7,675
Non-Hispanic Black	443
Hispanic	14,869

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	5.5
Rank	14
Non-Hispanic White (per 1,000 live births)	5.5
Non-Hispanic Black (per 1,000 live births)	11.6
Hispanic (per 1,000 live births)	5.3

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	68.8%
Women who received late or no prenatal care	7.5%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	87.6%
4:3:1:3:3:1 Series	71.6%
Varicella	86.9%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	3,099
Proportion of Live Births	11.5%
Rank	27
Non-Hispanic White (2010-2012 average)	10.5%
Non-Hispanic Black (2010-2012 average)	17.0%
Hispanic (2010-2012 average)	11.8%

Late Preterm Births, 2012

Number	2,281
Proportion of Live Births	8.4%
Rank	36
Non-Hispanic White (2010-2012 average)	7.8%
Non-Hispanic Black (2010-2012 average)	11.6%
Hispanic (2010-2012 average)	8.7%

Very Preterm Births, 2012

Number	426
Proportion of Live Births	1.6%
Rank	11
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	3.1%
Hispanic (2010-2012 average)	1.7%

Low Birthweight Births, 2012

Proportion of Live Births	8.8%
Rank	41
Non-Hispanic White (2010-2012 average)	8.5%
Non-Hispanic Black (2010-2012 average)	13.6%
Hispanic (2010-2012 average)	8.8%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.2%
Rank	17
Non-Hispanic White (2010-2012 average)	8.5%
Non-Hispanic Black (2010-2012 average)	13.6%
Hispanic (2010-2012 average)	8.8%

New Mexico (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	107,565
Percent	27.0%
Rank	48

Children Under 19 without Health Insurance by State, 2013

Number	49,225
Percent	9.1%
Rank	41

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	255%
Infants Ages 0-1	305%
Children Ages 1-5	305%
Children Ages 6-18	245%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	New MexiKids/MexiTeens
Pregnant Women/Maternity Care	N/A
Children Under 19	245%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	115
Children Under 19 (in thousands)	350
Total Enrollment (in thousands)	576
Women and Children as Percent of Total	81%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$629
Children Under 19 (in millions)	$1,549
Total Expenditures (in millions)	$3,286
Women and Children as Percent of Total	68%

CHIP Enrollment, 2013

Enrollment	7,448
Expenditures (in millions)	$355

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	69.65%
CHIP	78.76%

Percent of Births Funded by Medicaid, 2010

53.4%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

New York

Live Births, 2012 (peristats)

Total Births	240,916
Non-Hispanic White	116,153
Non-Hispanic Black	38,479
Hispanic	55,704

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	5.3
Rank	11
Non-Hispanic White (per 1,000 live births)	4.0
Non-Hispanic Black (per 1,000 live births)	10.6
Hispanic (per 1,000 live births)	5.0

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	31

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	74.5%
Women who received late or no prenatal care	5.4%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	95.8%
4:3:1:3:3:1 Series	77.6%
Varicella	92.9%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	25,759
Proportion of Live Births	10.7%
Rank	17
Non-Hispanic White (2010-2012 average)	9.5%
Non-Hispanic Black (2010-2012 average)	15.3%
Hispanic (2010-2012 average)	11.9%

Late Preterm Births, 2012 (peristats)

Number	18,212
Proportion of Live Births	7.6%
Rank	17
Non-Hispanic White (2010-2012 average)	6.8%
Non-Hispanic Black (2010-2012 average)	9.8%
Hispanic (2010-2012 average)	8.5%

Very Preterm Births, 2012 (peristats)

Number	4,290
Proportion of Live Births	1.8%
Rank	23
Non-Hispanic White (2010-2012 average)	1.5%
Non-Hispanic Black (2010-2012 average)	3.4%
Hispanic (2010-2012 average)	1.9%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	7.9%
Rank	21
Non-Hispanic White (2010-2012 average)	6.8%
Non-Hispanic Black (2010-2012 average)	12.5%
Hispanic (2010-2012 average)	7.7%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.5%
Rank	31
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	2.9%
Hispanic (2010-2012 average)	1.4%

New York (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	525,735
Percent	13.1%
Rank	12

Children Under 19 without Health Insurance by State, 2013

Number	188,350
Percent	4.2%
Rank	6

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	223%
Infants Ages 0-1	223%
Children Ages 1-5	154%
Children Ages 6-18	154%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Child Health Plus (CHPlus)
Pregnant Women/Maternity Care	N/A
Children Under 19	405%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	Yes
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	2,309
Children Under 19 (in thousands)	2,150
Total Enrollment (in thousands)	5,818
Women and Children as Percent of Total	77%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$10,616
Children Under 19 (in millions)	$5,675
Total Expenditures (in millions)	$51,788
Women and Children as Percent of Total	31%

CHIP Enrollment, 2013

Enrollment	460,723
Expenditures (in millions)	$531

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

45.8%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

North Carolina

Live Births, 2012 march of dimes peristats

Total Births	119,831
Non-Hispanic White	67,154
Non-Hispanic Black	28,468
Hispanic	17,953

Infant Mortality

Infant Mortality, 2008-2010 average march of dimes peristats

Infant Mortality Rate (per 1,000 live births)	7.8
Rank	45
Non-Hispanic White (per 1,000 live births)	5.7
Non-Hispanic Black (per 1,000 live births)	13.9
Hispanic (per 1,000 live births)	5.8

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	29

Health Promotion

Prenatal Care, 2010 march of dimes peristats

Women who received early prenatal care	72.7%
Women who received late or no prenatal care	5.7%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	95.9%
4:3:1:3:3:1 Series	83.6%
Varicella	94.6%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 march of dimes peristats

Number	14,387
Proportion of Live Births	12.0%
Rank	32
Non-Hispanic White (2010-2012 average)	10.7%
Non-Hispanic Black (2010-2012 average)	16.8%
Hispanic (2010-2012 average)	11.9%

Late Preterm Births, 2012 march of dimes peristats

Number	9,525
Proportion of Live Births	8.0%
Rank	25
Non-Hispanic White (2010-2012 average)	7.5%
Non-Hispanic Black (2010-2012 average)	10.4%
Hispanic (2010-2012 average)	8.2%

Very Preterm Births, 2012 march of dimes peristats

Number	???????
Proportion of Live Births	2.4%
Rank	45
Non-Hispanic White (2010-2012 average)	1.8%
Non-Hispanic Black (2010-2012 average)	4.2%
Hispanic (2010-2012 average)	2.0%

Low Birthweight Births, 2012 march of dimes peristats

Proportion of Live Births	8.8%
Rank	40
Non-Hispanic White (2010-2012 average)	7.5%
Non-Hispanic Black (2010-2012 average)	13.8%
Hispanic (2010-2012 average)	6.6%

Very Low Birthweight Births, 2012 march of dimes peristats

Proportion of Live Births	1.7%
Rank	31
Non-Hispanic White (2010-2012 average)	1.3%
Non-Hispanic Black (2010-2012 average)	3.1%
Hispanic (2010-2012 average)	1.2%

North Carolina (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	442,820
Percent	22.6%
Rank	38

Children Under 19 without Health Insurance by State, 2013

Number	165,385
Percent	6.8%
Rank	33

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	201%
Infants Ages 0-1	215%
Children Ages 1-5	215%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	NC Health Choice for Children (NCHC)
Pregnant Women/Maternity Care	N/A
Children Under 19	216%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	40
Children Under 19 (in thousands)	1,209
Total Enrollment (in thousands)	1,954
Women and Children as Percent of Total	74%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$1,446
Children Under 19 (in millions)	$2,435
Total Expenditures (in millions)	$10,211
Women and Children as Percent of Total	38%

CHIP Enrollment, 2013

Enrollment	190,681
Expenditures (in millions)	$367

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	65.88%
CHIP	76.12%

Percent of Births Funded by Medicaid, 2010

53.8

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

North Dakota

Live Births, 2012 (peristats)

Total Births	10,106
Non-Hispanic White	8,163
Non-Hispanic Black	269
Hispanic	378

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	6.3
Rank	25
Non-Hispanic White (per 1,000 live births)	5.0
Non-Hispanic Black (per 1,000 live births)	N/A
Hispanic (per 1,000 live births)	N/A

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	29

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	73.2%
Women who received late or no prenatal care	6.6%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	91.5%
4:3:1:3:3:1 Series	76.5%
Varicella	89.8%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	1,002
Proportion of Live Births	9.9%
Rank	9
Non-Hispanic White (2010-2012 average)	9.4%
Non-Hispanic Black (2010-2012 average)	14.1%
Hispanic (2010-2012 average)	11.9%

Late Preterm Births, 2012 (peristats)

Number	717
Proportion of Live Births	7.1%
Rank	8
Non-Hispanic White (2010-2012 average)	6.9%
Non-Hispanic Black (2010-2012 average)	9.3%
Hispanic (2010-2012 average)	8.0%

Very Preterm Births, 2012 (peristats)

Number	173
Proportion of Live Births	1.7%
Rank	16
Non-Hispanic White (2010-2012 average)	1.5%
Non-Hispanic Black (2010-2012 average)	2.8%
Hispanic (2010-2012 average)	2.6%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	6.2%
Rank	6
Non-Hispanic White (2010-2012 average)	6.2%
Non-Hispanic Black (2010-2012 average)	9.4%
Hispanic (2010-2012 average)	7.0%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.1%
Rank	10
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	1.8%
Hispanic (2010-2012 average)	1.8%

North Dakota (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	17,730
Percent	12.7%
Rank	10

Children Under 19 without Health Insurance by State, 2013

Number	13,685
Percent	8.0%
Rank	37

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	152%
Infants Ages 0-1	152%
Children Ages 1-5	152%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Healthy Steps
Pregnant Women/Maternity Care	N/A
Children Under 19	175%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	18
Children Under 19 (in thousands)	46
Total Enrollment (in thousands)	86
Women and Children as Percent of Total	75%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$66
Children Under 19 (in millions)	$116
Total Expenditures (in millions)	$713
Women and Children as Percent of Total	25%

CHIP Enrollment, 2013

Enrollment	4,956
Expenditures (in millions)	$18

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

28.5%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Ohio

Live Births, 2012 (peristats)

Total Births	138,483
Non-Hispanic White	104,116
Non-Hispanic Black	23,268
Hispanic	6,524

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	7.7
Rank	44
Non-Hispanic White (per 1,000 live births)	6.3
Non-Hispanic Black (per 1,000 live births)	14.5
Hispanic (per 1,000 live births)	6.7

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	72.8%
Women who received late or no prenatal care	6.2%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	90.4%
4:3:1:3:3:1 Series	69.7%
Varicella	85.3%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	16,739
Proportion of Live Births	12.1%
Rank	34
Non-Hispanic White (2010-2012 average)	11.0%
Non-Hispanic Black (2010-2012 average)	17.4%
Hispanic (2010-2012 average)	12.3%

Late Preterm Births, 2012 (peristats)

Number	11,218
Proportion of Live Births	8.1%
Rank	26
Non-Hispanic White (2010-2012 average)	7.7%
Non-Hispanic Black (2010-2012 average)	10.6%
Hispanic (2010-2012 average)	8.7%

Very Preterm Births, 2012 (peristats)

Number	3,300
Proportion of Live Births	2.4%
Rank	44
Non-Hispanic White (2010-2012 average)	1.9%
Non-Hispanic Black (2010-2012 average)	4.3%
Hispanic (2010-2012 average)	2.2%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	8.6%
Rank	36
Non-Hispanic White (2010-2012 average)	7.5%
Non-Hispanic Black (2010-2012 average)	13.7%
Hispanic (2010-2012 average)	7.6%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.7%
Rank	42
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	3.3%
Hispanic (2010-2012 average)	1.5%

Ohio (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	310,645
Percent	14.1%
Rank	15

Children Under 19 without Health Insurance by State, 2013

Number	155,645
Percent	5.5%
Rank	15

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	205%
Infants Ages 0-1	211%
Children Ages 1-5	211%
Children Ages 6-18	211%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Healthy Start
Pregnant Women/Maternity Care	N/A
Children Under 19	211%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	554
Children Under 19 (in thousands)	1,130
Total Enrollment (in thousands)	2,247
Women and Children as Percent of Total	75%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$2,342
Children Under 19 (in millions)	$2,385
Total Expenditures (in millions)	$15,406
Women and Children as Percent of Total	30%

CHIP Enrollment, 2013

Enrollment	151,195
Expenditures (in millions)	$343

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	62.64%
CHIP	73.85%

Percent of Births Funded by Medicaid, 2010

38.2%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Oklahoma

Live Births, 2012

Total Births	52,751
Non-Hispanic White	33,536
Non-Hispanic Black	4,917
Hispanic	6,878

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	7.5
Rank	42
Non-Hispanic White (per 1,000 live births)	6.9
Non-Hispanic Black (per 1,000 live births)	12.5
Hispanic (per 1,000 live births)	5.9

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	68.7%
Women who received late or no prenatal care	8.0%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	??????%
4:3:1:3:3:1 Series	??????%
Varicella	??????%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	6,869
Proportion of Live Births	13.0%
Rank	44
Non-Hispanic White (2010-2012 average)	12.5%
Non-Hispanic Black (2010-2012 average)	19.3%
Hispanic (2010-2012 average)	13.2%

Late Preterm Births, 2012

Number	4,938
Proportion of Live Births	9.4%
Rank	45
Non-Hispanic White (2010-2012 average)	9.2%
Non-Hispanic Black (2010-2012 average)	12.6%
Hispanic (2010-2012 average)	9.7%

Very Preterm Births, 2012

Number	1,092
Proportion of Live Births	2.1%
Rank	36
Non-Hispanic White (2010-2012 average)	1.8%
Non-Hispanic Black (2010-2012 average)	4.3%
Hispanic (2010-2012 average)	1.9%

Low Birthweight Births, 2012

Proportion of Live Births	8.0%
Rank	25
Non-Hispanic White (2010-2012 average)	7.0%
Non-Hispanic Black (2010-2012 average)	14.3%
Hispanic (2010-2012 average)	6.8%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.4%
Rank	26
Non-Hispanic White (2010-2012 average)	1.3%
Non-Hispanic Black (2010-2012 average)	3.2%
Hispanic (2010-2012 average)	1.2%

Oklahoma (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	195,330
Percent	25.94%
Rank	46

Children Under 19 without Health Insurance by State, 2013

Number	106,730
Percent	10.6%
Rank	46

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	138%
Infants Ages 0-1	210%
Children Ages 1-5	210%
Children Ages 6-18	210%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	SoonerCare
Pregnant Women/Maternity Care	190%
Children Under 19	210%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	179
Children Under 19 (in thousands)	490
Total Enrollment (in thousands)	857
Women and Children as Percent of Total	78%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$562
Children Under 19 (in millions)	$1,271
Total Expenditures (in millions)	$4,231
Women and Children as Percent of Total	43%

CHIP Enrollment, 2013

Enrollment	73,867
Expenditures (in millions)	$152

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	62.30%
CHIP	73.61%

Percent of Births Funded by Medicaid, 2010

64.0%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Oregon

Live Births, 2012

Total Births	45,067
Non-Hispanic White	31,773
Non-Hispanic Black	1,158
Hispanic	8,559

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	5.0
Rank	7
Non-Hispanic White (per 1,000 live births)	4.8
Non-Hispanic Black (per 1,000 live births)	9.5
Hispanic (per 1,000 live births)	4.6

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	29

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	76.3%
Women who received late or no prenatal care	4.3%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	91.0%
4:3:1:3:3:1 Series	77.3%
Varicella	87.1%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	4,105
Proportion of Live Births	9.1%
Rank	2
Non-Hispanic White (2010-2012 average)	8.9%
Non-Hispanic Black (2010-2012 average)	13.2%
Hispanic (2010-2012 average)	10.1%

Late Preterm Births, 2012

Number	3,041
Proportion of Live Births	6.7%
Rank	3
Non-Hispanic White (2010-2012 average)	6.6%
Non-Hispanic Black (2010-2012 average)	9.0%
Hispanic (2010-2012 average)	7.4%

Very Preterm Births, 2012

Number	573
Proportion of Live Births	1.3%
Rank	3
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	2.5%
Hispanic (2010-2012 average)	1.5%

Low Birthweight Births, 2012

Proportion of Live Births	6.1%
Rank	3
Non-Hispanic White (2010-2012 average)	5.9%
Non-Hispanic Black (2010-2012 average)	9.9%
Hispanic (2010-2012 average)	6.1%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.0%
Rank	5
Non-Hispanic White (2010-2012 average)	0.9%
Non-Hispanic Black (2010-2012 average)	2.0%
Hispanic (2010-2012 average)	1.0%

Oregon (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	154,045
Percent	20.1%
Rank	30

Children Under 19 without Health Insurance by State, 2013

Number	56,955
Percent	6.3%
Rank	28

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	190%
Infants Ages 0-1	190%
Children Ages 1-5	138%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Healthy Kids
Pregnant Women/Maternity Care	190%
Children Under 19	305%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	210
Children Under 19 (in thousands)	353
Total Enrollment (in thousands)	729
Women and Children as Percent of Total	77%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$1,064
Children Under 19 (in millions)	$719
Total Expenditures (in millions)	$4,310
Women and Children as Percent of Total	42%

CHIP Enrollment, 2013

Enrollment	79,899
Expenditures (in millions)	$101

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	64.06%
CHIP	74.84%

Percent of Births Funded by Medicaid, 2010

44.9%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Pennsylvania

Live Births, 2012 (peristats)

Total Births	145,514
Non-Hispanic White	99,531
Non-Hispanic Black	21,209
Hispanic	14,058

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	7.2
Rank	34
Non-Hispanic White (per 1,000 live births)	5.5
Non-Hispanic Black (per 1,000 live births)	12.6
Hispanic (per 1,000 live births)	8.5

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	29

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	72.8%
Women who received late or no prenatal care	6.4%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	95.0%
4:3:1:3:3:1 Series	84.5%
Varicella	93.1%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	15,339
Proportion of Live Births	10.8%
Rank	19
Non-Hispanic White (2010-2012 average)	10.0%
Non-Hispanic Black (2010-2012 average)	15.7%
Hispanic (2010-2012 average)	11.9%

Late Preterm Births, 2012 (peristats)

Number	10,528
Proportion of Live Births	7.4%
Rank	13
Non-Hispanic White (2010-2012 average)	7.2%
Non-Hispanic Black (2010-2012 average)	9.8%
Hispanic (2010-2012 average)	8.2%

Very Preterm Births, 2012 (peristats)

Number	2,861
Proportion of Live Births	2.0%
Rank	32
Non-Hispanic White (2010-2012 average)	1.5%
Non-Hispanic Black (2010-2012 average)	3.7%
Hispanic (2010-2012 average)	2.2%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	8.1%
Rank	28
Non-Hispanic White (2010-2012 average)	7.1%
Non-Hispanic Black (2010-2012 average)	13.2%
Hispanic (2010-2012 average)	8.5%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.5%
Rank	30
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	3.1%
Hispanic (2010-2012 average)	1.6%

Pennsylvania (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	320,740
Percent	13.3%
Rank	13

Children Under 19 without Health Insurance by State, 2013

Number	160,745
Percent	5.5%
Rank	16

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	220%
Infants Ages 0-1	220%
Children Ages 1-5	162%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	CHIP
Pregnant Women/Maternity Care	N/A
Children Under 19	319%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	Yes

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	529
Children Under 19 (in thousands)	1,110
Total Enrollment (in thousands)	2,531
Women and Children as Percent of Total	65%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$1,884
Children Under 19 (in millions)	$3,542
Total Expenditures (in millions)	$19,773
Women and Children as Percent of Total	28%

CHIP Enrollment, 2013

Enrollment	184,501
Expenditures (in millions)	$361

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	51.82%
CHIP	66.27%

Percent of Births Funded by Medicaid, 2010

32.7%

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Puerto Rico

Live Births, 2012

Total Births	38,900
Non-Hispanic White	3,063
Non-Hispanic Black	315
Hispanic	35,498

Infant Mortality

Infant Mortality, 2010

Infant Mortality Rate (per 1,000 live births)	7.8

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2012

Number of Core Conditions Tested	29

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	6,559
Proportion of Live Births	16.9%

Late Preterm Births, 2012

Proportion of Live Births	10.9%

Low Birthweight Births, 2012

Proportion of Live Births	11.6%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.5%

Access

Women Ages 15-44 without Health Insurance by State, 2013

Percent	6.4%

Children Under 18 without Health Insurance by State, 2013

Percent	3.4%

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	55.00%
CHIP	68.50%

Percent of Births Funded by Medicaid, 2010

59.8%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

State Data 2014

Rhode Island

Live Births, 2012 (peristats)

Total Births	10,926
Non-Hispanic White	6,712
Non-Hispanic Black	857
Hispanic	2,466

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	6.3
Rank	24
Non-Hispanic White (per 1,000 live births)	5.1
Non-Hispanic Black (per 1,000 live births)	12.5
Hispanic (per 1,000 live births)	5.0

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	86.6%
Women who received late or no prenatal care	1.4%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	96.9%
4:3:1:3:3:1 Series	87.6%
Varicella	97.3%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	1,198
Proportion of Live Births	11.0%
Rank	21
Non-Hispanic White (2010-2012 average)	9.7%
Non-Hispanic Black (2010-2012 average)	14.6%
Hispanic (2010-2012 average)	11.9%

Late Preterm Births, 2012 (peristats)

Number	796
Proportion of Live Births	7.3%
Rank	12
Non-Hispanic White (2010-2012 average)	6.8%
Non-Hispanic Black (2010-2012 average)	9.4%
Hispanic (2010-2012 average)	8.0%

Very Preterm Births, 2012 (peristats)

Number	???????
Proportion of Live Births	2.3%
Rank	42
Non-Hispanic White (2010-2012 average)	1.7%
Non-Hispanic Black (2010-2012 average)	3.3%
Hispanic (2010-2012 average)	2.2%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	8.0%
Rank	24
Non-Hispanic White (2010-2012 average)	7.0%
Non-Hispanic Black (2010-2012 average)	11.5%
Hispanic (2010-2012 average)	7.7%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.7%
Rank	41
Non-Hispanic White (2010-2012 average)	1.3%
Non-Hispanic Black (2010-2012 average)	2.5%
Hispanic (2010-2012 average)	1.6%

Rhode Island (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	30,570
Percent	14.7%
Rank	16

Children Under 19 without Health Insurance by State, 2013

Number	13,165
Percent	5.7%
Rank	18

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	195%
Infants Ages 0-1	266%
Children Ages 1-5	266%
Children Ages 6-18	266%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	???????
Pregnant Women/Maternity Care	158%
Children Under 19	266%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	47
Children Under 19 (in thousands)	95
Total Enrollment (in thousands)	212
Women and Children as Percent of Total	67%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$270
Children Under 19 (in millions)	$437
Total Expenditures (in millions)	$1,962
Women and Children as Percent of Total	36%

CHIP Enrollment, 2013

Enrollment	15,647
Expenditures (in millions)	$29

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

46.1%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

South Carolina

Live Births, 2012

Total Births	57,155
Non-Hispanic White	32,848
Non-Hispanic Black	18,175
Hispanic	4,596

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	7.5
Rank	41
Non-Hispanic White (per 1,000 live births)	5.6
Non-Hispanic Black (per 1,000 live births)	11.5
Hispanic (per 1,000 live births)	5.4

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	69.6%
Women who received late or no prenatal care	7.0%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	95.6%
4:3:1:3:3:1 Series	73.9%
Varicella	89.1%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	7,817
Proportion of Live Births	13.7%
Rank	47
Non-Hispanic White (2010-2012 average)	11.7%
Non-Hispanic Black (2010-2012 average)	18.6%
Hispanic (2010-2012 average)	12.0%

Late Preterm Births, 2012

Number	5,296
Proportion of Live Births	9.3%
Rank	44
Non-Hispanic White (2010-2012 average)	8.4%
Non-Hispanic Black (2010-2012 average)	11.7%
Hispanic (2010-2012 average)	8.7%

Very Preterm Births, 2012

Number	1,448
Proportion of Live Births	2.5%
Rank	46
Non-Hispanic White (2010-2012 average)	1.8%
Non-Hispanic Black (2010-2012 average)	4.2%
Hispanic (2010-2012 average)	1.8%

Low Birthweight Births, 2012

Proportion of Live Births	9.6%
Rank	47
Non-Hispanic White (2010-2012 average)	7.6%
Non-Hispanic Black (2010-2012 average)	14.7%
Hispanic (2010-2012 average)	6.1%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.8%
Rank	48
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	3.2%
Hispanic (2010-2012 average)	1.0%

South Carolina (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	207,635
Percent	22.3%
Rank	35

Children Under 19 without Health Insurance by State, 2013

Number	80,310
Percent	7.0%
Rank	34

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	199%
Infants Ages 0-1	199%
Children Ages 1-5	148%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Healthy Connections Kids
Pregnant Women/Maternity Care	N/A
Children Under 19	213%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	No

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	218
Children Under 19 (in thousands)	498
Total Enrollment (in thousands)	965
Women and Children as Percent of Total	75%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$783
Children Under 19 (in millions)	$1,000
Total Expenditures (in millions)	$4,636
Women and Children as Percent of Total	39%

CHIP Enrollment, 2013

Enrollment	66,818
Expenditures (in millions)	$107

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	70.64%
CHIP	79.45%

Percent of Births Funded by Medicaid, 2010

50.0%

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

South Dakota

Live Births, 2012

Total Births	12,104
Non-Hispanic White	9,048
Non-Hispanic Black	308
Hispanic	547

Infant Mortality

Infant Mortality, 2008-2010 average 

Infant Mortality Rate (per 1,000 live births)	7.4
Rank	37
Non-Hispanic White (per 1,000 live births)	5.9
Non-Hispanic Black (per 1,000 live births)	N/A
Hispanic (per 1,000 live births)	8.3

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	29

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	70.6%
Women who received late or no prenatal care	6.1%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	93.4%
4:3:1:3:3:1 Series	82.9%
Varicella	92.5%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	1,294
Proportion of Live Births	10.7%
Rank	16
Non-Hispanic White (2010-2012 average)	9.9%
Non-Hispanic Black (2010-2012 average)	13.0%
Hispanic (2010-2012 average)	12.1%

Late Preterm Births, 2012

Number	911
Proportion of Live Births	7.5%
Rank	15
Non-Hispanic White (2010-2012 average)	7.2%
Non-Hispanic Black (2010-2012 average)	7.8%
Hispanic (2010-2012 average)	8.7%

Very Preterm Births, 2012

Number	205
Proportion of Live Births	1.7%
Rank	15
Non-Hispanic White (2010-2012 average)	1.5%
Non-Hispanic Black (2010-2012 average)	3.2%
Hispanic (2010-2012 average)	2.3%

Low Birthweight Births, 2012

Proportion of Live Births	6.2%
Rank	5
Non-Hispanic White (2010-2012 average)	6.1%
Non-Hispanic Black (2010-2012 average)	10.3%
Hispanic (2010-2012 average)	6.9%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.1%
Rank	9
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	2.0%
Hispanic (2010-2012 average)	1.4%

South Dakota (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	26,335
Percent	16.9%
Rank	22

Children Under 19 without Health Insurance by State, 2013

Number	13,990
Percent	6.4%
Rank	31

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	138%
Infants Ages 0-1	187%
Children Ages 1-5	187%
Children Ages 6-18	187%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	CHIP
Pregnant Women/Maternity Care	N/A
Children Under 19	209%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	23
Children Under 19 (in thousands)	81
Total Enrollment (in thousands)	137
Women and Children as Percent of Total	67%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$97
Children Under 19 (in millions)	$204
Total Expenditures (in millions)	$751
Women and Children as Percent of Total	40%

CHIP Enrollment, 2013

Enrollment	66,818
Expenditures (in millions)	$23

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	51.64%
CHIP	66.15%

Percent of Births Funded by Medicaid, 2010

36.0%

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Tennessee

Live Births, 2012 (peristats)

Total Births	80,371
Non-Hispanic White	54,712
Non-Hispanic Black	16,645
Hispanic	6,989

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	8.0
Rank	47
Non-Hispanic White (per 1,000 live births)	6.4
Non-Hispanic Black (per 1,000 live births)	14.1
Hispanic (per 1,000 live births)	6.5

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	70.4%
Women who received late or no prenatal care	6.7%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	94.9%
4:3:1:3:3:1 Series	75.4%
Varicella	92.8%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	9,985
Proportion of Live Births	12.5%
Rank	40
Non-Hispanic White (2010-2012 average)	11.6%
Non-Hispanic Black (2010-2012 average)	17.3%
Hispanic (2010-2012 average)	11.6%

Late Preterm Births, 2012 (peristats)

Number	7,029
Proportion of Live Births	8.8%
Rank	40
Non-Hispanic White (2010-2012 average)	8.6%
Non-Hispanic Black (2010-2012 average)	11.2%
Hispanic (2010-2012 average)	8.6%

Very Preterm Births, 2012 (peristats)

Number	1,650
Proportion of Live Births	2.1%
Rank	35
Non-Hispanic White (2010-2012 average)	1.6%
Non-Hispanic Black (2010-2012 average)	3.7%
Hispanic (2010-2012 average)	1.5%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	9.2%
Rank	45
Non-Hispanic White (2010-2012 average)	8.0%
Non-Hispanic Black (2010-2012 average)	13.9%
Hispanic (2010-2012 average)	6.3%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.6%
Rank	36
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	2.9%
Hispanic (2010-2012 average)	1.0%

Tennessee (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	225,155
Percent	17.6%
Rank	23

Children Under 19 without Health Insurance by State, 2013

Number	94,900
Percent	6.0%
Rank	24

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	200%
Infants Ages 0-1	200%
Children Ages 1-5	147%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	CoverKids
Pregnant Women/Maternity Care	255%
Children Under 19	255%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	317
Children Under 19 (in thousands)	804
Total Enrollment (in thousands)	1,544
Women and Children as Percent of Total	73%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$1,501
Children Under 19 (in millions)	$1,986
Total Expenditures (in millions)	$7,957
Women and Children as Percent of Total	44%

CHIP Enrollment, 2013

Enrollment	84,349
Expenditures (in millions)	$152

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	64.99%
CHIP	75.49%

Percent of Births Funded by Medicaid, 2010

51.3%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Texas

Live Births, 2012 (peristats)

Total Births	387,727
Non-Hispanic White	135,573
Non-Hispanic Black	44,530
Hispanic	182,981

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	6.1
Rank	20
Non-Hispanic White (per 1,000 live births)	5.5
Non-Hispanic Black (per 1,000 live births)	10.9
Hispanic (per 1,000 live births)	5.5

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	31

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	63.6%
Women who received late or no prenatal care	10.5%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	91.3%
4:3:1:3:3:1 Series	76.2%
Varicella	93.6%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	47,418
Proportion of Live Births	12.4%
Rank	39
Non-Hispanic White (2010-2012 average)	11.3%
Non-Hispanic Black (2010-2012 average)	17.0%
Hispanic (2010-2012 average)	13.0%

Late Preterm Births, 2012 (peristats)

Number	33,740
Proportion of Live Births	8.8%
Rank	39
Non-Hispanic White (2010-2012 average)	8.3%
Non-Hispanic Black (2010-2012 average)	11.1%
Hispanic (2010-2012 average)	9.4%

Very Preterm Births, 2012 (peristats)

Number	7,692
Proportion of Live Births	2.0%
Rank	31
Non-Hispanic White (2010-2012 average)	1.6%
Non-Hispanic Black (2010-2012 average)	3.6%
Hispanic (2010-2012 average)	1.9%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	8.3%
Rank	32
Non-Hispanic White (2010-2012 average)	7.5%
Non-Hispanic Black (2010-2012 average)	13.8%
Hispanic (2010-2012 average)	7.7%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.5%
Rank	29
Non-Hispanic White (2010-2012 average)	1.2%
Non-Hispanic Black (2010-2012 average)	2.9%
Hispanic (2010-2012 average)	1.3%

Texas (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	1,707,845
Percent	30.1%
Rank	51

Children Under 19 without Health Insurance by State, 2013

Number	985,345
Percent	13.3%
Rank	50

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	203%
Infants Ages 0-1	203%
Children Ages 1-5	149%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	CHIP
Pregnant Women/Maternity Care	207%
Children Under 19	206%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	636
Children Under 19 (in thousands)	3,125
Total Enrollment (in thousands)	4,844
Women and Children as Percent of Total	78%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$2,222
Children Under 19 (in millions)	$10,093
Total Expenditures (in millions)	$27,011
Women and Children as Percent of Total	45%

CHIP Enrollment, 2013

Enrollment	596,651
Expenditures (in millions)	$981

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	58.05%
CHIP	70.64%

Percent of Births Funded by Medicaid, 2010

47.6

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Utah

Live Births, 2012 (peristats)

Total Births	51,465
Non-Hispanic White	39,984
Non-Hispanic Black	502
Hispanic	7,645

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	4.9
Rank	3
Non-Hispanic White (per 1,000 live births)	4.6
Non-Hispanic Black (per 1,000 live births)	10.1
Hispanic (per 1,000 live births)	5.2

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	31

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	78.0%
Women who received late or no prenatal care	4.3%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	95.1%
4:3:1:3:3:1 Series	80.9%
Varicella	93.6%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	5,238
Proportion of Live Births	10.2%
Rank	11
Non-Hispanic White (2010-2012 average)	10.1%
Non-Hispanic Black (2010-2012 average)	18.5%
Hispanic (2010-2012 average)	11.9%

Late Preterm Births, 2012 (peristats)

Number	3,943
Proportion of Live Births	7.7%
Rank	18
Non-Hispanic White (2010-2012 average)	7.7%
Non-Hispanic Black (2010-2012 average)	12.5%
Hispanic (2010-2012 average)	8.6%

Very Preterm Births, 2012 (peristats)

Number	693
Proportion of Live Births	1.3%
Rank	2
Non-Hispanic White (2010-2012 average)	1.3%
Non-Hispanic Black (2010-2012 average)	3.8%
Hispanic (2010-2012 average)	1.7%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	6.8%
Rank	13
Non-Hispanic White (2010-2012 average)	6.6%
Non-Hispanic Black (2010-2012 average)	12.3%
Hispanic (2010-2012 average)	7.3%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.0%
Rank	4
Non-Hispanic White (2010-2012 average)	1.0%
Non-Hispanic Black (2010-2012 average)	2.7%
Hispanic (2010-2012 average)	1.1%

Utah (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	113,635
Percent	18.1%
Rank	24

Children Under 19 without Health Insurance by State, 2013

Number	93,640
Percent	9.9%
Rank	43

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	144%
Infants Ages 0-1	144%
Children Ages 1-5	144%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	CHIP
Pregnant Women/Maternity Care	N/A
Children Under 19	205%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	Yes
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	88
Children Under 19 (in thousands)	205
Total Enrollment (in thousands)	350
Women and Children as Percent of Total	84%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$272
Children Under 19 (in millions)	$493
Total Expenditures (in millions)	$1,795
Women and Children as Percent of Total	42%

CHIP Enrollment, 2013

Enrollment	33,877
Expenditures (in millions)	$70

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	70.56%
CHIP	79.39%

Percent of Births Funded by Medicaid, 2010

30.6%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Vermont

Live Births, 2012 peristats

Total Births	6,009
Non-Hispanic White	5,602
Non-Hispanic Black	94
Hispanic	97

Infant Mortality

Infant Mortality, 2008-2010 average peristats

Infant Mortality Rate (per 1,000 live births)	5.0
Rank	6
Non-Hispanic White (per 1,000 live births)	5.0
Non-Hispanic Black (per 1,000 live births)	N/A
Hispanic (per 1,000 live births)	N/A

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	29

Health Promotion

Prenatal Care, 2010 peristats

Women who received early prenatal care	83.8%
Women who received late or no prenatal care	2.2%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	95.1%
4:3:1:3:3:1 Series	73.3%
Varicella	85.8%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 peristats

Number	522
Proportion of Live Births	8.7%
Rank	1
Non-Hispanic White (2010-2012 average)	8.5%
Non-Hispanic Black (2010-2012 average)	14.2%
Hispanic (2010-2012 average)	8.9%

Late Preterm Births, 2012 peristats

Number	370
Proportion of Live Births	6.2%
Rank	1
Non-Hispanic White (2010-2012 average)	5.9%
Non-Hispanic Black (2010-2012 average)	7.1%
Hispanic (2010-2012 average)	7.7%

Very Preterm Births, 2012 peristats

Number	69
Proportion of Live Births	1.1%
Rank	1
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	5.4%
Hispanic (2010-2012 average)	N/A

Low Birthweight Births, 2012 peristats

Proportion of Live Births	6.2%
Rank	4
Non-Hispanic White (2010-2012 average)	6.2%
Non-Hispanic Black (2010-2012 average)	10.2%
Hispanic (2010-2012 average)	4.9%

Very Low Birthweight Births, 2012 peristats

Proportion of Live Births	1.0%
Rank	3
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	4.7%
Hispanic (2010-2012 average)	N/A

Vermont (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	8,395
Percent	7.3%
Rank	3

Children Under 19 without Health Insurance by State, 2013

Number	4,400
Percent	3.3%
Rank	4

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	213%
Infants Ages 0-1	317%
Children Ages 1-5	317%
Children Ages 6-18	317%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Dr. Dynasaur
Pregnant Women/Maternity Care	N/A
Children Under 19	317%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	83
Children Under 19 (in thousands)	69
Total Enrollment (in thousands)	200
Women and Children as Percent of Total	76%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$370
Children Under 19 (in millions)	$357
Total Expenditures (in millions)	$1,258
Women and Children as Percent of Total	57%

CHIP Enrollment, 2013

Enrollment	4,042
Expenditures (in millions)	$7

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	54.01%
CHIP	67.81%

Percent of Births Funded by Medicaid, 2010

46.6%

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Virginia

Live Births, 2012 (peristats)

Total Births	103,013
Non-Hispanic White	59,991
Non-Hispanic Black	21,980
Hispanic	12,909

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	6.9
Rank	28
Non-Hispanic White (per 1,000 live births)	5.3
Non-Hispanic Black (per 1,000 live births)	12.7
Hispanic (per 1,000 live births)	6.0

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	85.1%
Women who received late or no prenatal care	4.0%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	95.2%
4:3:1:3:3:1 Series	74.6%
Varicella	91.1%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	11,661
Proportion of Live Births	11.3%
Rank	26
Non-Hispanic White (2010-2012 average)	9.9%
Non-Hispanic Black (2010-2012 average)	15.4%
Hispanic (2010-2012 average)	12.0%

Late Preterm Births, 2012 (peristats)

Number	8,035
Proportion of Live Births	7.8%
Rank	20
Non-Hispanic White (2010-2012 average)	7.1%
Non-Hispanic Black (2010-2012 average)	9.7%
Hispanic (2010-2012 average)	8.6%

Very Preterm Births, 2012 (peristats)

Number	2,095
Proportion of Live Births	2.0%
Rank	30
Non-Hispanic White (2010-2012 average)	1.5%
Non-Hispanic Black (2010-2012 average)	3.6%
Hispanic (2010-2012 average)	1.9%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	8.1%
Rank	27
Non-Hispanic White (2010-2012 average)	6.8%
Non-Hispanic Black (2010-2012 average)	12.6%
Hispanic (2010-2012 average)	6.3%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.6%
Rank	35
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	3.0%
Hispanic (2010-2012 average)	1.2%

Virginia (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	276,575
Percent	16.6%
Rank	21

Children Under 19 without Health Insurance by State, 2013

Number	114,080
Percent	5.8%
Rank	19

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	148%
Infants Ages 0-1	148%
Children Ages 1-5	148%
Children Ages 6-18	148%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Family Access to Medical Insurance Security (FAMIS)
Pregnant Women/Maternity Care	N/A
Children Under 19	205%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	178
Children Under 19 (in thousands)	594
Total Enrollment (in thousands)	1,072
Women and Children as Percent of Total	72%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$787
Children Under 19 (in millions)	$1,604
Total Expenditures (in millions)	$6,673
Women and Children as Percent of Total	36%

CHIP Enrollment, 2013

Enrollment	113,216
Expenditures (in millions)	$228

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

29.8%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Washington

Live Births, 2012 (peristats)

Total Births	87,463
Non-Hispanic White	55,364
Non-Hispanic Black	4,349
Hispanic	15,760

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	5.0
Rank	5
Non-Hispanic White (per 1,000 live births)	4.7
Non-Hispanic Black (per 1,000 live births)	7.0
Hispanic (per 1,000 live births)	5.4

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	28

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	73.5%
Women who received late or no prenatal care	5.8%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	93.1%
4:3:1:3:3:1 Series	73.3%
Varicella	91.7%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	8,681
Proportion of Live Births	9.9%
Rank	8
Non-Hispanic White (2010-2012 average)	9.1%
Non-Hispanic Black (2010-2012 average)	12.7%
Hispanic (2010-2012 average)	11.2%

Late Preterm Births, 2012 (peristats)

Number	6,295
Proportion of Live Births	7.2%
Rank	10
Non-Hispanic White (2010-2012 average)	6.7%
Non-Hispanic Black (2010-2012 average)	8.6%
Hispanic (2010-2012 average)	8.0%

Very Preterm Births, 2012 (peristats)

Number	1,299
Proportion of Live Births	1.5%
Rank	8
Non-Hispanic White (2010-2012 average)	1.3%
Non-Hispanic Black (2010-2012 average)	2.5%
Hispanic (2010-2012 average)	1.7%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	6.1%
Rank	2
Non-Hispanic White (2010-2012 average)	5.7%
Non-Hispanic Black (2010-2012 average)	9.4%
Hispanic (2010-2012 average)	6.3%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.1%
Rank	8
Non-Hispanic White (2010-2012 average)	0.9%
Non-Hispanic Black (2010-2012 average)	2.0%
Hispanic (2010-2012 average)	1.0%

Washington (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	276,640
Percent	20.1%
Rank	31

Children Under 19 without Health Insurance by State, 2013

Number	105,740
Percent	6.3%
Rank	29

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	198%
Infants Ages 0-1	215%
Children Ages 1-5	215%
Children Ages 6-18	215%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	Apple Health for Kids
Pregnant Women/Maternity Care	198%
Children Under 19	317%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	290
Children Under 19 (in thousands)	793
Total Enrollment (in thousands)	1,397
Women and Children as Percent of Total	78%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$1,071
Children Under 19 (in millions)	$1,665
Total Expenditures (in millions)	$6,975
Women and Children as Percent of Total	39%

CHIP Enrollment, 2013

Enrollment	28,293
Expenditures (in millions)	$43

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.03%
CHIP	65.02%

Percent of Births Funded by Medicaid, 2010

38.8

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

West Virginia

Live Births, 2012

Total Births	20,827
Non-Hispanic White	19,548
Non-Hispanic Black	788
Hispanic	193

Infant Mortality

Infant Mortality, 2008-2010 average

Infant Mortality Rate (per 1,000 live births)	7.6
Rank	43
Non-Hispanic White (per 1,000 live births)	7.6
Non-Hispanic Black (per 1,000 live births)	9.6
Hispanic (per 1,000 live births)	N/A

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	31

Health Promotion

Prenatal Care, 2010

Women who received early prenatal care	84.1%
Women who received late or no prenatal care	2.9%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	90.0%
4:3:1:3:3:1 Series	74.1%
Varicella	86.1%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012

Number	2,576
Proportion of Live Births	12.4%
Rank	38
Non-Hispanic White (2010-2012 average)	12.3%
Non-Hispanic Black (2010-2012 average)	15.6%
Hispanic (2010-2012 average)	12.5%

Late Preterm Births, 2012

Number	1,820
Proportion of Live Births	8.7%
Rank	38
Non-Hispanic White (2010-2012 average)	8.8%
Non-Hispanic Black (2010-2012 average)	10.1%
Hispanic (2010-2012 average)	10.0%

Very Preterm Births, 2012

Number	402
Proportion of Live Births	1.9%
Rank	27
Non-Hispanic White (2010-2012 average)	1.9%
Non-Hispanic Black (2010-2012 average)	3.3%
Hispanic (2010-2012 average)	N/A

Low Birthweight Births, 2012

Proportion of Live Births	9.2%
Rank	44
Non-Hispanic White (2010-2012 average)	9.2%
Non-Hispanic Black (2010-2012 average)	13.4%
Hispanic (2010-2012 average)	5.4%

Very Low Birthweight Births, 2012

Proportion of Live Births	1.5%
Rank	28
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	2.7%
Hispanic (2010-2012 average)	N/A%

West Virginia (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	76,115
Percent	22.2%
Rank	40

Children Under 19 without Health Insurance by State, 2013

Number	24,455
Percent	6.0%
Rank	23

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	163%
Infants Ages 0-1	163%
Children Ages 1-5	146%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	CHIP
Pregnant Women/Maternity Care	N/A
Children Under 19	305%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	No
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	64
Children Under 19 (in thousands)	208
Total Enrollment (in thousands)	439
Women and Children as Percent of Total	62%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$274
Children Under 19 (in millions)	$521
Total Expenditures (in millions)	$2,769
Women and Children as Percent of Total	29%

CHIP Enrollment, 2013

Enrollment	25,011
Expenditures (in millions)	$47

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	71.35%
CHIP	79.95%

Percent of Births Funded by Medicaid, 2010

51.8%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Wisconsin

Live Births, 2012 (peristats)

Total Births	67,295
Non-Hispanic White	49,730
Non-Hispanic Black	6,696
Hispanic	6,575

Infant Mortality

Infant Mortality, 2008-2010 average (peristats)

Infant Mortality Rate (per 1,000 live births)	6.3
Rank	23
Non-Hispanic White (per 1,000 live births)	5.3
Non-Hispanic Black (per 1,000 live births)	13.9
Hispanic (per 1,000 live births)	5.6

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	31

Health Promotion

Prenatal Care, 2010 (peristats)

Women who received early prenatal care	79.3%
Women who received late or no prenatal care	4.0%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	93.8%
4:3:1:3:3:1 Series	79.1%
Varicella	91.9%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 (peristats)

Number	7,038
Proportion of Live Births	10.5%
Rank	15
Non-Hispanic White (2010-2012 average)	9.8%
Non-Hispanic Black (2010-2012 average)	16.4%
Hispanic (2010-2012 average)	10.6%

Late Preterm Births, 2012 (peristats)

Number	5,040
Proportion of Live Births	7.5%
Rank	14
Non-Hispanic White (2010-2012 average)	7.1%
Non-Hispanic Black (2010-2012 average)	10.5%
Hispanic (2010-2012 average)	7.6%

Very Preterm Births, 2012 (peristats)

Number	1,094
Proportion of Live Births	1.6%
Rank	10
Non-Hispanic White (2010-2012 average)	1.5%
Non-Hispanic Black (2010-2012 average)	3.6%
Hispanic (2010-2012 average)	1.7%

Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	7.1%
Rank	15
Non-Hispanic White (2010-2012 average)	6.4%
Non-Hispanic Black (2010-2012 average)	13.4%
Hispanic (2010-2012 average)	6.3%

Very Low Birthweight Births, 2012 (peristats)

Proportion of Live Births	1.3%
Rank	22
Non-Hispanic White (2010-2012 average)	1.1%
Non-Hispanic Black (2010-2012 average)	2.9%
Hispanic (2010-2012 average)	1.1%

Wisconsin (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	123,695
Percent	11.4%
Rank	7

Children Under 19 without Health Insurance by State, 2013

Number	68,010
Percent	4.9%
Rank	14

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	306%
Infants Ages 0-1	306%
Children Ages 1-5	191%
Children Ages 6-18	156%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	BadgerCare Plus
Pregnant Women/Maternity Care	306%
Children Under 19	306%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	Yes
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	No
Continuous Eligibility for Children (CHIP)	No

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	452
Children Under 19 (in thousands)	523
Total Enrollment (in thousands)	1,299
Women and Children as Percent of Total	75%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$1,234
Children Under 19 (in millions)	$833
Total Expenditures (in millions)	$7,031
Women and Children as Percent of Total	30%

CHIP Enrollment, 2013

Enrollment	91,412
Expenditures (in millions)	$127

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	58.27%
CHIP	70.79%

Percent of Births Funded by Medicaid, 2010

49.5

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

State Data 2014

Wyoming

Live Births, 2012 march of dimes peristats

Total Births	7,572
Non-Hispanic White	6,155
Non-Hispanic Black	81
Hispanic	864

Infant Mortality

Infant Mortality, 2008-2010 average march of dimes peristats

Infant Mortality Rate (per 1,000 live births)	6.6
Rank	27
Non-Hispanic White (per 1,000 live births)	5.9
Non-Hispanic Black (per 1,000 live births)	N/A
Hispanic (per 1,000 live births)	8.4

Birth Defects & Newborn Screening

Newborn Screening Requirements, 2014

Number of Core Conditions Tested	30

Health Promotion

Prenatal Care, 2010 march of dimes peristats

Women who received early prenatal care	73.9%
Women who received late or no prenatal care	6.1%

Percent Children, 19-35 Months with Up-to-Date Immunizations, 2013

Polio	90.9%
4:3:1:3:3:1 Series	74.0%
Varicella	90.8%

- Infant mortality refers to death under age one.
- Preterm birth occurs before 37 weeks completed gestation.
- Late preterm birth occurs at 34 through 36 completed weeks gestation.
- Very preterm birth occurs before 32 completed weeks gestation.
- A low birth weight baby weighs less than 5 ½ pounds (2,500 grams).
- A very low birthweight baby weight less than 3 ½ pounds (1,500 grams).
- 4:3:1:3:3:1 Series is four or more doses of diphtheria and tetanus toxoids and pertussis vaccine (DTaP), three or more doses of poliovirus vaccine, one or more doses of measles containing vaccine, three or more doses of Haemophilus influenza type b vaccine, one or more doses of varicella.

Preterm and Low Birthweight Births

Preterm Births, 2012 march of dimes peristats

Number	819
Proportion of Live Births	10.8%
Rank	18
Non-Hispanic White (2010-2012 average)	10.4%
Non-Hispanic Black (2010-2012 average)	13.8%
Hispanic (2010-2012 average)	11.1%

Late Preterm Births, 2012 march of dimes peristats

Number	597
Proportion of Live Births	7.9%
Rank	23
Non-Hispanic White (2010-2012 average)	7.7%
Non-Hispanic Black (2010-2012 average)	7.8%
Hispanic (2010-2012 average)	7.9%

Very Preterm Births, 2012 march of dimes peristats

Number	121
Proportion of Live Births	1.6%
Rank	9
Non-Hispanic White (2010-2012 average)	1.4%
Non-Hispanic Black (2010-2012 average)	N/A%
Hispanic (2010-2012 average)	2.1%

Low Birthweight Births, 2012 march of dimes peristats

Proportion of Live Births	8.5%
Rank	35
Non-Hispanic White (2010-2012 average)	8.5%
Non-Hispanic Black (2010-2012 average)	14.2%
Hispanic (2010-2012 average)	8.6%

Very Low Birthweight Births, 2012 march of dimes peristats

Proportion of Live Births	1.2%
Rank	16
Non-Hispanic White (2010-2012 average)	1.0%
Non-Hispanic Black (2010-2012 average)	N/A%
Hispanic (2010-2012 average)	1.4%

Wyoming (continued)

Access

Women Ages 15-44 without Health Insurance by State, 2013

Number	22,615
Percent	20.5%
Rank	32

Children Under 19 without Health Insurance by State, 2013

Number	8,795
Percent	6.0%
Rank	25

Income Eligibility Thresholds for Medicaid, 2014 (eligibility as percentage of federal poverty level)

Pregnant Women	159%
Infants Ages 0-1	159%
Children Ages 1-5	159%
Children Ages 6-18	138%

Income Eligibility Thresholds Under CHIP 2014 (eligibility as percentage of federal poverty level)

Program Name	KidCare CHIP
Pregnant Women/Maternity Care	N/A
Children Under 19	205%

Presumptive and Continuous Eligibility Under Medicaid and CHIP, by State, 2014

Presumptive Eligibility for Pregnant Women	Yes
Presumptive Eligibility for Children (Medicaid)	No
Presumptive Eligibility for Children (CHIP)	No
Continuous Eligibility for Children (Medicaid)	Yes
Continuous Eligibility for Children (CHIP)	Yes

Additional State Data and the March of Dimes Data Book for Policy Makers maybe downloaded at marchofdimes.org/advocacy/research-and-data.aspx

Medicaid Enrollees by Select Characteristics, 2011

Non-disabled Women Ages 19-44 (in thousands)	13
Children Under 19 (in thousands)	58
Total Enrollment (in thousands)	89
Women and Children as Percent of Total	80%

Medicaid Expenditures, by Enrollee Characteristics, 2012

Non-disabled Women Ages 19-44 (in millions)	$51
Children Under 19 (in millions)	$113
Total Expenditures (in millions)	$544
Women and Children as Percent of Total	30%

CHIP Enrollment, 2013

Enrollment	5,908
Expenditures (in millions)	$14

Federal Matching Rates for Medicaid and CHIP, 2014

Medicaid	50.00%
CHIP	65.00%

Percent of Births Funded by Medicaid, 2010

47.8%

PeriStats, the March of Dimes interactive web resource, (marchofdimes.org/peristats) offers the latest data on maternal, infant, and child health at the national, state and local levels

The Peristats logo indicates that more detailed and perhaps more current information is available on the website. (www.marchofdimes.org/peristats)

2014 Data Book State Data Sources

American Association of Public Health Laboratories. Newborn Screening Technical assistance and Evaluation Program (NewSTEPs), 2014.

Centers for Disease Control and Prevention. 2002-2012 Behavioral Risk Factor Surveillance System. Data prepared by the March of Dimes Perinatal Data Center, 2014.
Centers for Disease Control and Prevention 2013. "Vaccination Coverage Among Children in Kindergarten — United States, 2012–13 School Year." M*orbidity and Mortality Weekly Report*. 62(30);607-612.

Kaiser Family Foundation. 2013. State Health Facts. www.kff.org.

Markus A.R. and others. 2013. "Medicaid Covered Births, 2008 Through 2010, in the Context of the Implementation of Health Reform." *Women's Health Issues*. 23(5): e273-e280.

National Center for Health Statistics. 1999-2012 final natality data; 1995-2010 period linked birth/infant death data; 1950-1990 final mortality data; 2011 final mortality data. Data prepared by the March of Dimes Perinatal Data Center, 2014.

U.S. Census Bureau. 2014. 2013 American Community Survey. Unpublished data.